

▼ **M216**

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6215 20 00	– Of man-made fibres	6,3	p/st
6215 90 00	– Of other textile materials	6,3	p/st
6216 00 00	Gloves, mittens and mitts	7,6	pa
6217	Other made-up clothing accessories; parts of garments or of clothing accessories, other than those of heading 6212:		
6217 10 00	– Accessories	6,3	—
6217 90 00	– Parts	12	—

▼ **M216***CHAPTER 63***OTHER MADE-UP TEXTILE ARTICLES; SETS; WORN CLOTHING
AND WORN TEXTILE ARTICLES; RAGS****Notes**

1. Sub-chapter I applies only to made-up articles, of any textile fabric.
2. Sub-chapter I does not cover:
 - (a) goods of Chapters 56 to 62; or
 - (b) worn clothing or other worn articles of heading 6309.
3. Heading 6309 applies only to the following goods:
 - (a) articles of textile materials:
 - clothing and clothing accessories, and parts thereof,
 - blankets and travelling rugs,
 - bedlinen, table linen, toilet linen and kitchen linen,
 - furnishing articles, other than carpets of headings 5701 to 5705 and tapestries of heading 5805;
 - (b) footwear and headgear of any material other than asbestos.

In order to be classified in this heading, the articles mentioned above must comply with both of the following requirements:

- they must show signs of appreciable wear, and
- they must be presented in bulk or in bales, sacks or similar packings.

Subheading note

1. Subheading 6304 20 covers articles made from warp knit fabrics, impregnated or coated with alpha-cypermethrin (ISO), chlorfenapyr (ISO), deltamethrin (INN, ISO), lambda-cyhalothrin (ISO), permethrin (ISO) or pirimiphos-methyl (ISO).

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	I. OTHER MADE-UP TEXTILE ARTICLES		
6301	Blankets and travelling rugs:		
6301 10 00	– Electric blankets	6,9	p/st
6301 20	– Blankets (other than electric blankets) and travelling rugs, of wool or of fine animal hair:		
6301 20 10	– – Knitted or crocheted	12	p/st
6301 20 90	– – Other	12	p/st
6301 30	– Blankets (other than electric blankets) and travelling rugs, of cotton:		
6301 30 10	– – Knitted or crocheted	12	p/st

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6301 30 90	-- Other	7,5	p/st
6301 40	Blankets (other than electric blankets) and travelling rugs, of synthetic fibres:		
6301 40 10	-- Knitted or crocheted	12	p/st
6301 40 90	-- Other	12	p/st
6301 90	Other blankets and travelling rugs:		
6301 90 10	-- Knitted or crocheted	12	p/st
6301 90 90	-- Other	12	p/st
6302	Bedlinen, table linen, toilet linen and kitchen linen:		
6302 10 00	Bedlinen, knitted or crocheted	12	—
	Other bedlinen, printed:		
6302 21 00	-- Of cotton	12	—
6302 22	-- Of man-made fibres:		
6302 22 10	-- -- Nonwovens	6,9	—
6302 22 90	-- -- Other	12	—
6302 29	-- Of other textile materials:		
6302 29 10	-- -- Of flax or ramie	12	—
6302 29 90	-- -- Of other textile materials	12	—
	Other bedlinen:		
6302 31 00	-- Of cotton	12	—
6302 32	-- Of man-made fibres:		
6302 32 10	-- -- Nonwovens	6,9	—
6302 32 90	-- -- Other	12	—
6302 39	-- Of other textile materials:		
6302 39 20	-- -- Of flax or ramie	12	—
6302 39 90	-- -- Of other textile materials	12	—
6302 40 00	Table linen, knitted or crocheted	12	—
	Other table linen:		
6302 51 00	-- Of cotton	12	—
6302 53	-- Of man-made fibres:		
6302 53 10	-- -- Nonwovens	6,9	—
6302 53 90	-- -- Other	12	—
6302 59	-- Of other textile materials:		
6302 59 10	-- -- Of flax	12	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6302 59 90	— — — Other	12	—
6302 60 00	— Toilet linen and kitchen linen, of terry towelling or similar terry fabrics, of cotton	12	—
	— Other:		
6302 91 00	— — Of cotton	12	—
6302 93	— — Of man-made fibres:		
6302 93 10	— — — Nonwovens	6,9	—
6302 93 90	— — — Other	12	—
6302 99	— — Of other textile materials:		
6302 99 10	— — — Of flax	12	—
6302 99 90	— — — Other	12	—
6303	Curtains (including drapes) and interior blinds; curtain or bed valances:		
	— Knitted or crocheted:		
6303 12 00	— — Of synthetic fibres	12	m ²
6303 19 00	— — Of other textile materials	12	m ²
	— Other:		
6303 91 00	— — Of cotton	12	m ²
6303 92	— — Of synthetic fibres:		
6303 92 10	— — — Nonwovens	6,9	m ²
6303 92 90	— — — Other	12	m ²
6303 99	— — Of other textile materials:		
6303 99 10	— — — Nonwovens	6,9	m ²
6303 99 90	— — — Other	12	m ²
6304	Other furnishing articles, excluding those of heading 9404:		
	— Bedspreads:		
6304 11 00	— — Knitted or crocheted	12	p/st
6304 19	— — Other:		
6304 19 10	— — — Of cotton	12	p/st
6304 19 30	— — — Of flax or ramie	12	p/st
6304 19 90	— — — Of other textile materials	12	p/st
6304 20 00	— Bed nets specified in subheading note 1 to this chapter	12	p/st
	— Other:		
6304 91 00	— — Knitted or crocheted	12	—
6304 92 00	— — Not knitted or crocheted, of cotton	12	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6304 93 00	-- Not knitted or crocheted, of synthetic fibres	12	—
6304 99 00	-- Not knitted or crocheted, of other textile materials	12	—
6305	Sacks and bags, of a kind used for the packing of goods:		
6305 10	-- Of jute or of other textile bast fibres of heading 5303:		
6305 10 10	-- Used	2	—
6305 10 90	-- Other	4	—
6305 20 00	-- Of cotton	7,2	—
	-- Of man-made textile materials:		
6305 32	-- Flexible intermediate bulk containers:		
	-- Of polyethylene or polypropylene strip or the like:		
6305 32 11	-- Knitted or crocheted	12	—
6305 32 19	-- Other	7,2	—
6305 32 90	-- Other	7,2	—
6305 33	-- Other, of polyethylene or polypropylene strip or the like:		
6305 33 10	-- Knitted or crocheted	12	—
6305 33 90	-- Other	7,2	—
6305 39 00	-- Other	7,2	—
6305 90 00	-- Of other textile materials	6,2	—
6306	Tarpaulins, awnings and sunblinds; tents; sails for boats, sailboards or landcraft; camping goods:		
	-- Tarpaulins, awnings and sunblinds:		
6306 12 00	-- Of synthetic fibres	12	—
6306 19 00	-- Of other textile materials	12	—
	-- Tents:		
6306 22 00	-- Of synthetic fibres	12	—
6306 29 00	-- Of other textile materials	12	—
6306 30 00	-- Sails	12	—
6306 40 00	-- Pneumatic mattresses	12	p/st
6306 90 00	-- Other	12	—
6307	Other made-up articles, including dress patterns:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6307 10	– Floorcloths, dishcloths, dusters and similar cleaning cloths:		
6307 10 10	– – Knitted or crocheted	12	—
6307 10 30	– – Nonwovens	6,9	—
6307 10 90	– – Other	7,7	—
6307 20 00	– Life jackets and lifebelts	6,3	—
6307 90	– Other:		
6307 90 10	– – Knitted or crocheted	12	—
	– – Other:		
6307 90 91	– – – Of felt	6,3	—
	– – – Other:		
6307 90 92	– – – – Single-use drapes made up of fabrics of heading 5603, of a kind used during surgical procedures	6,3	—
6307 90 98	– – – – Other	6,3	—
	II. SETS		
6308 00 00	Sets consisting of woven fabric and yarn, whether or not with accessories, for making up into rugs, tapestries, embroidered tablecloths or serviettes, or similar textile articles, put up in packings for retail sale	12	—
	III. WORN CLOTHING AND WORN TEXTILE ARTICLES; RAGS		
6309 00 00	Worn clothing and other worn articles	5,3	—
6310	Used or new rags, scrap twine, cordage, rope and cables and worn-out articles of twine, cordage, rope or cables, of textile materials:		
6310 10 00	– Sorted	Free	—
6310 90 00	– Other	Free	—

▼M216*SECTION XII***FOOTWEAR, HEADGEAR, UMBRELLAS, SUN UMBRELLAS, WALKING STICKS, SEAT-STICKS, WHIPS, RIDING-CROPS AND PARTS THEREOF; PREPARED FEATHERS AND ARTICLES MADE THEREWITH; ARTIFICIAL FLOWERS; ARTICLES OF HUMAN HAIR***CHAPTER 64***FOOTWEAR, GAITERS AND THE LIKE; PARTS OF SUCH ARTICLES****Notes**

1. This chapter does not cover:
 - (a) disposable foot or shoe coverings of flimsy material (for example, paper, sheeting of plastics) without applied soles. These products are classified according to their constituent material;
 - (b) footwear of textile material, without an outer sole glued, sewn or otherwise affixed or applied to the upper (Section XI);
 - (c) worn footwear of heading 6309;
 - (d) articles of asbestos (heading 6812);
 - (e) orthopaedic footwear or other orthopaedic appliances, or parts thereof (heading 9021); or
 - (f) toy footwear or skating boots with ice or roller skates attached; shin-guards or similar protective sportswear (Chapter 95).
2. For the purposes of heading 6406, the term 'parts' does not include pegs, protectors, eyelets, hooks, buckles, ornaments, braid, laces, pompons or other trimmings (which are to be classified in their appropriate headings) or buttons or other goods of heading 9606.
3. For the purposes of this chapter:
 - (a) the terms 'rubber' and 'plastics' include woven fabrics or other textile products with an external layer of rubber or plastics being visible to the naked eye; for the purpose of this provision, no account should be taken of any resulting change of colour; and
 - (b) the term 'leather' refers to the goods of headings 4107 and 4112 to 4114.
4. Subject to note 3 to this chapter:
 - (a) the material of the upper shall be taken to be the constituent material having the greatest external surface area, no account being taken of accessories or reinforcements such as ankle patches, edging, ornamentation, buckles, tabs, eyelet stays or similar attachments;
 - (b) the constituent material of the outer sole shall be taken to be the material having the greatest surface area in contact with the ground, no account being taken of accessories or reinforcements such as spikes, bars, nails, protectors or similar attachments.

▼ **M216****Subheading note**

1. For the purposes of subheadings 6402 12, 6402 19, 6403 12, 6403 19 and 6404 11, the expression 'sports footwear' applies only to:
 - (a) footwear which is designed for a sporting activity and has, or has provision for the attachment of, spikes, sprigs, stops, clips, bars or the like;
 - (b) skating boots, ski-boots and cross-country ski footwear, snowboard boots, wrestling boots, boxing boots and cycling shoes.

Additional notes

1. *Within the meaning of note 4(a), 'reinforcements' is taken to mean all pieces of material (for example, plastics or leather) attached to the external surface of the upper to give additional strength, whether or not also attached to the sole. After the removal of reinforcements, the visible material must have the characteristics of an upper and not lining, supporting the foot sufficiently to enable the wearer, with the original fastening systems in place, to walk in the footwear.*

Account is to be taken of sections covered by accessories or reinforcements when deciding on the composition of the upper.

2. *Within the meaning of note 4(b), one or more layers of textile material which do not possess the characteristics usually required for normal use of an outer sole (for example, durability, strength, etc.) are not to be taken into consideration for classification purposes.*

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6401	Waterproof footwear with outer soles and uppers of rubber or of plastics, the uppers of which are neither fixed to the sole nor assembled by stitching, riveting, nailing, screwing, plugging or similar processes:		
6401 10 00	– Footwear incorporating a protective metal toecap	17	pa
	– Other footwear:		
6401 92	– – Covering the ankle but not covering the knee:		
6401 92 10	– – – With uppers of rubber	17	pa
6401 92 90	– – – With uppers of plastics	17	pa
6401 99 00	– – Other	17	pa
6402	Other footwear with outer soles and uppers of rubber or plastics:		
	– Sports footwear:		
6402 12	– – Ski-boots, cross-country ski footwear and snowboard boots:		
6402 12 10	– – – Ski-boots and cross-country ski footwear	17	pa
6402 12 90	– – – Snowboard boots	17	pa

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6402 19 00	-- Other	16,9	pa
6402 20 00	-- Footwear with upper straps or thongs assembled to the sole by means of plugs	17	pa
	-- Other footwear:		
6402 91	-- Covering the ankle:		
6402 91 10	--- Incorporating a protective metal toecap	17	pa
6402 91 90	--- Other	16,9	pa
6402 99	-- Other:		
6402 99 05	--- Incorporating a protective metal toecap	17	pa
	--- Other:		
6402 99 10	---- With uppers of rubber	16,8	pa
	---- With uppers of plastics:		
	----- Footwear with a vamp made of straps or which has one or several pieces cut out:		
6402 99 31	----- With sole and heel combined having a height of more than 3 cm	16,8	pa
6402 99 39	----- Other	16,8	pa
6402 99 50	----- Slippers and other indoor footwear	16,8	pa
	----- Other, with insoles of a length:		
6402 99 91	----- Of less than 24 cm	16,8	pa
	----- Of 24 cm or more:		
6402 99 93	----- Footwear which cannot be identified as men's or women's footwear	16,8	pa
	----- Other:		
6402 99 96	----- For men	16,8	pa
6402 99 98	----- For women	16,8	pa
6403	Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of leather:		
	-- Sports footwear:		
6403 12 00	-- Ski-boots, cross-country ski footwear and snowboard boots	8	pa
6403 19 00	-- Other	8	pa
6403 20 00	-- Footwear with outer soles of leather, and uppers which consist of leather straps across the instep and around the big toe	8	pa

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6403 40 00	– Other footwear, incorporating a protective metal toecap	8	pa
	– Other footwear with outer soles of leather:		
6403 51	– – Covering the ankle:		
6403 51 05	– – – Made on a base or platform of wood, not having an inner sole	8	pa
	– – – Other:		
	– – – – Covering the ankle but no part of the calf, with insoles of a length:		
6403 51 11	– – – – – Of less than 24 cm	8	pa
	– – – – – Of 24 cm or more:		
6403 51 15	– – – – – For men	8	pa
6403 51 19	– – – – – For women	8	pa
	– – – – Other, with insoles of a length:		
6403 51 91	– – – – – Of less than 24 cm	8	pa
	– – – – – Of 24 cm or more:		
6403 51 95	– – – – – For men	8	pa
6403 51 99	– – – – – For women	8	pa
6403 59	– – Other:		
6403 59 05	– – – Made on a base or platform of wood, not having an inner sole	8	pa
	– – – Other:		
	– – – – Footwear with a vamp made of straps or which has one or several pieces cut out:		
6403 59 11	– – – – – With sole and heel combined having a height of more than 3 cm	5	pa
	– – – – – Other, with insoles of a length:		
6403 59 31	– – – – – Of less than 24 cm	8	pa
	– – – – – Of 24 cm or more:		
6403 59 35	– – – – – For men	8	pa
6403 59 39	– – – – – For women	8	pa
6403 59 50	– – – – Slippers and other indoor footwear	8	pa
	– – – – Other, with insoles of a length:		
6403 59 91	– – – – – Of less than 24 cm	8	pa
	– – – – – Of 24 cm or more:		
6403 59 95	– – – – – For men	8	pa
6403 59 99	– – – – – For women	8	pa

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	– Other footwear:		
6403 91	– – Covering the ankle:		
6403 91 05	– – – Made on a base or platform of wood, not having an inner sole	8	pa
	– – – Other:		
	– – – – Covering the ankle but no part of the calf, with insoles of a length:		
6403 91 11	– – – – – Of less than 24 cm	8	pa
	– – – – – Of 24 cm or more:		
6403 91 13	– – – – – Footwear which cannot be identified as men's or women's footwear	8	pa
	– – – – – Other:		
6403 91 16	– – – – – For men	8	pa
6403 91 18	– – – – – For women	8	pa
	– – – – – Other, with insoles of a length:		
6403 91 91	– – – – – Of less than 24 cm	8	pa
	– – – – – Of 24 cm or more:		
6403 91 93	– – – – – Footwear which cannot be identified as men's or women's footwear	8	pa
	– – – – – Other:		
6403 91 96	– – – – – For men	8	pa
6403 91 98	– – – – – For women	5	pa
6403 99	– – Other:		
6403 99 05	– – – Made on a base or platform of wood, not having an inner sole	8	pa
	– – – Other:		
	– – – – Footwear with a vamp made of straps or which has one or several pieces cut out:		
6403 99 11	– – – – – With sole and heel combined having a height of more than 3 cm	8	pa
	– – – – – Other, with insoles of a length:		
6403 99 31	– – – – – Of less than 24 cm	8	pa
	– – – – – Of 24 cm or more:		
6403 99 33	– – – – – Footwear which cannot be identified as men's or women's footwear	8	pa
	– – – – – Other:		
6403 99 36	– – – – – For men	8	pa
6403 99 38	– – – – – For women	5	pa

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6403 99 50	— — — Slippers and other indoor footwear	8	pa
	— — — — Other, with insoles of a length:		
6403 99 91	— — — — — Of less than 24 cm	8	pa
	— — — — — Of 24 cm or more:		
6403 99 93	— — — — — Footwear which cannot be identified as men's or women's footwear	8	pa
	— — — — — Other:		
6403 99 96	— — — — — For men	8	pa
6403 99 98	— — — — — For women	7	pa
6404	Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of textile materials:		
	— Footwear with outer soles of rubber or plastics:		
6404 11 00	— — Sports footwear; tennis shoes, basketball shoes, gym shoes, training shoes and the like	16,9	pa
6404 19	— — Other:		
6404 19 10	— — — Slippers and other indoor footwear	16,9	pa
6404 19 90	— — — Other	16,9	pa
6404 20	— Footwear with outer soles of leather or composition leather:		
6404 20 10	— — Slippers and other indoor footwear	17	pa
6404 20 90	— — Other	17	pa
6405	Other footwear:		
6405 10 00	— With uppers of leather or composition leather	3,5	pa
6405 20	— With uppers of textile materials:		
6405 20 10	— — With outer soles of wood or cork	3,5	pa
	— — With outer soles of other materials:		
6405 20 91	— — — Slippers and other indoor footwear	4	pa
6405 20 99	— — — Other	4	pa
6405 90	— Other:		
6405 90 10	— — With outer soles of rubber, plastics, leather or composition leather	17	pa
6405 90 90	— — With outer soles of other materials	4	pa

▼ **M216**

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6406	Parts of footwear (including uppers whether or not attached to soles other than outer soles); removable insoles, heel cushions and similar articles; gaiters, leggings and similar articles, and parts thereof:		
6406 10	– Uppers and parts thereof, other than stiffeners:		
6406 10 10	– – Of leather	3	—
6406 10 90	– – Of other materials	3	—
6406 20	– Outer soles and heels, of rubber or plastics:		
6406 20 10	– – Of rubber	3	—
6406 20 90	– – Of plastics	3	—
6406 90	– Other:		
6406 90 30	– – Assemblies of uppers affixed to inner soles or to other sole components, but without outer soles	3	pa
6406 90 50	– – Removable insoles and other removable accessories	3	—
6406 90 60	– – Outer soles of leather or composition leather	3	—
6406 90 90	– – Other	3	—

▼ **M216**

CHAPTER 65

HEADGEAR AND PARTS THEREOF**Notes**

1. This chapter does not cover:
 - (a) worn headgear of heading 6309;
 - (b) asbestos headgear (heading 6812); or
 - (c) dolls' hats, other toy hats or carnival articles of Chapter 95.
2. Heading 6502 does not cover hat shapes made by sewing, other than those obtained simply by sewing strips in spirals.

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6501 00 00	Hat-forms, hat bodies and hoods of felt, neither blocked to shape nor with made brims; plateaux and manchons (including slit manchons), of felt	2,7	p/st
6502 00 00	Hat-shapes, plaited or made by assembling strips of any material, neither blocked to shape, nor with made brims, nor lined, nor trimmed	Free	p/st
[6503]			
6504 00 00	Hats and other headgear, plaited or made by assembling strips of any material, whether or not lined or trimmed	Free	p/st
6505 00	Hats and other headgear, knitted or crocheted, or made up from lace, felt or other textile fabric, in the piece (but not in strips), whether or not lined or trimmed; hairnets of any material, whether or not lined or trimmed:		
6505 00 10	– Of fur felt or of felt of wool and fur, made from the hat bodies, hoods or plateaux of heading 6501 00 00	5,7	p/st
	– Other:		
6505 00 30	– – Peaked caps	2,7	p/st
6505 00 90	– – Other	2,7	—
6506	Other headgear, whether or not lined or trimmed:		
6506 10	– Safety headgear:		
6506 10 10	– – Of plastics	2,7	p/st
6506 10 80	– – Of other materials	2,7	p/st
	– Other:		
6506 91 00	– – Of rubber or of plastics	2,7	p/st
6506 99	– – Of other materials:		
6506 99 10	– – – Of fur felt or of felt of wool and fur, made from the hat bodies, hoods or plateaux of heading 6501 00 00	5,7	p/st
6506 99 90	– – – Other	2,7	p/st
6507 00 00	Headbands, linings, covers, hat foundations, hat frames, peaks and chinstraps, for headgear	2,7	—

▼ **M216**

CHAPTER 66

**UMBRELLAS, SUN UMBRELLAS, WALKING STICKS, SEAT-STICKS,
WHIPS, RIDING-CROPS AND PARTS THEREOF****Notes**

1. This chapter does not cover:
 - (a) measure walking sticks or the like (heading 9017);
 - (b) firearm-sticks, swordsticks, loaded walking sticks or the like (Chapter 93);
or
 - (c) goods of Chapter 95 (for example, toy umbrellas, toy sun umbrellas).
2. Heading 6603 does not cover parts, trimmings or accessories of textile material, or covers, tassels, thongs, umbrella cases or the like, of any material. Such goods presented with, but not fitted to, articles of heading 6601 or 6602 are to be classified separately and are not to be treated as forming part of those articles.

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6601	Umbrellas and sun umbrellas (including walking-stick umbrellas, garden umbrellas and similar umbrellas):		
6601 10 00	– Garden or similar umbrellas	4,7	p/st
	– Other:		
6601 91 00	– – Having a telescopic shaft	4,7	p/st
6601 99	– – Other:		
6601 99 20	– – – With a cover of woven textile materials	4,7	p/st
6601 99 90	– – – Other	4,7	p/st
6602 00 00	Walking sticks, seat-sticks, whips, riding-crops and the like ...	2,7	—
6603	Parts, trimmings and accessories of articles of heading 6601 or 6602:		
6603 20 00	– Umbrella frames, including frames mounted on shafts (sticks)	5,2	—
6603 90	– Other:		
6603 90 10	– – Handles and knobs	2,7	—
6603 90 90	– – Other	5	—

▼ **M216**

CHAPTER 67

PREPARED FEATHERS AND DOWN AND ARTICLES MADE OF FEATHERS OR OF DOWN; ARTIFICIAL FLOWERS; ARTICLES OF HUMAN HAIR**Notes**

1. This chapter does not cover:

- (a) straining cloth of human hair (heading 5911);
- (b) floral motifs of lace, of embroidery or other textile fabric (Section XI);
- (c) footwear (Chapter 64);
- (d) headgear or hairnets (Chapter 65);
- (e) toys, sports requisites or carnival articles (Chapter 95); or
- (f) feather dusters, powder puffs or hair sieves (Chapter 96).

2. Heading 6701 does not cover:

- (a) articles in which feathers or down constitute only filling or padding (for example, bedding of heading 9404);
- (b) articles of apparel or clothing accessories in which feathers or down constitute no more than mere trimming or padding; or
- (c) artificial flowers or foliage or parts thereof or made-up articles of heading 6702.

3. Heading 6702 does not cover:

- (a) articles of glass (Chapter 70); or
- (b) artificial flowers, foliage or fruit of pottery, stone, metal, wood or other materials, obtained in one piece by moulding, forging, carving, stamping or other process, or consisting of parts assembled otherwise than by binding, glueing, fitting into one another or similar methods.

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6701 00 00	Skins and other parts of birds with their feathers or down, feathers, parts of feathers, down and articles thereof (other than goods of heading 0505 and worked quills and scapes) ...	2,7	—
6702	Artificial flowers, foliage and fruit and parts thereof; articles made of artificial flowers, foliage or fruit:		
6702 10 00	– Of plastics	4,7	—
6702 90 00	– Of other materials	4,7	—
6703 00 00	Human hair, dressed, thinned, bleached or otherwise worked; wool or other animal hair or other textile materials, prepared for use in making wigs or the like	1,7	—

▼ **M216**

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6704	Wigs, false beards, eyebrows and eyelashes, switches and the like, of human or animal hair or of textile materials; articles of human hair not elsewhere specified or included:		
	– Of synthetic textile materials:		
6704 11 00	– – Complete wigs	2,2	—
6704 19 00	– – Other	2,2	—
6704 20 00	– Of human hair	2,2	—
6704 90 00	– Of other materials	2,2	—

▼ **M216***SECTION XIII***ARTICLES OF STONE, PLASTER, CEMENT, ASBESTOS, MICA OR SIMILAR MATERIALS; CERAMIC PRODUCTS; GLASS AND GLASSWARE***CHAPTER 68***ARTICLES OF STONE, PLASTER, CEMENT, ASBESTOS, MICA OR SIMILAR MATERIALS****Notes**

1. This chapter does not cover:
- (a) goods of Chapter 25;
 - (b) coated, impregnated or covered paper and paperboard of heading 4810 or 4811 (for example, paper and paperboard coated with mica powder or graphite, bituminised or asphalted paper and paperboard);
 - (c) coated, impregnated or covered textile fabric of Chapter 56 or 59 (for example, fabric coated or covered with mica powder, bituminised or asphalted fabric);
 - (d) articles of Chapter 71;
 - (e) tools or parts of tools, of Chapter 82;
 - (f) lithographic stones of heading 8442;
 - (g) electrical insulators (heading 8546) or fittings of insulating material of heading 8547;
 - (h) dental burrs (heading 9018);
 - (ij) articles of Chapter 91 (for example, clocks and clock cases);
 - (k) articles of Chapter 94 (for example, furniture, lamps and lighting fittings, prefabricated buildings);
 - (l) articles of Chapter 95 (for example, toys, games and sports requisites);
 - (m) articles of heading 9602, if made of materials specified in Note 2(b) to Chapter 96, or of heading 9606 (for example, buttons), of heading 9609 (for example, slate pencils), heading 9610 (for example, drawing slates) or of heading 9620 (monopods, bipods, tripods and similar articles); or
 - (n) articles of Chapter 97 (for example, works of art).
2. In heading 6802, the expression 'worked monumental or building stone' applies not only to the varieties of stone referred to in heading 2515 or 2516 but also to all other natural stone (for example, quartzite, flint, dolomite and steatite) similarly worked; it does not, however, apply to slate.

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6801 00 00	Setts, curbstones and flagstones, of natural stone (except slate)	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6802	Worked monumental or building stone (except slate) and articles thereof, other than goods of heading 6801; mosaic cubes and the like, of natural stone (including slate), whether or not on a backing; artificially coloured granules, chippings and powder, of natural stone (including slate):		
6802 10 00	– Tiles, cubes and similar articles, whether or not rectangular (including square), the largest surface area of which is capable of being enclosed in a square the side of which is less than 7 cm; artificially coloured granules, chippings and powder	Free	—
	– Other monumental or building stone and articles thereof, simply cut or sawn, with a flat or even surface:		
6802 21 00	– – Marble, travertine and alabaster	1,7	—
6802 23 00	– – Granite	1,7	—
6802 29 00	– – Other stone	1,7	—
	– Other:		
6802 91 00	– – Marble, travertine and alabaster	1,7	—
6802 92 00	– – Other calcareous stone	1,7	—
6802 93	– – Granite:		
6802 93 10	– – – Polished, decorated or otherwise worked, but not carved, of a net weight of 10 kg or more	Free	—
6802 93 90	– – – Other	1,7	—
6802 99	– – Other stone:		
6802 99 10	– – – Polished, decorated or otherwise worked, but not carved, of a net weight of 10 kg or more	Free	—
6802 99 90	– – – Other	1,7	—
6803 00	Worked slate and articles of slate or of agglomerated slate:		
6803 00 10	– Roofing and wall slates	1,7	—
6803 00 90	– Other	1,7	—
6804	Millstones, grindstones, grinding wheels and the like, without frameworks, for grinding, sharpening, polishing, trueing or cutting, hand sharpening or polishing stones, and parts thereof, of natural stone, of agglomerated natural or artificial abrasives, or of ceramics, with or without parts of other materials:		
6804 10 00	– Millstones and grindstones for milling, grinding or pulping	Free	—
	– Other millstones, grindstones, grinding wheels and the like:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6804 21 00	-- Of agglomerated synthetic or natural diamond	1,7	—
6804 22	-- Of other agglomerated abrasives or of ceramics:		
	--- Of artificial abrasives, with binder:		
	---- Of synthetic or artificial resin:		
6804 22 12	---- Not reinforced	Free	—
6804 22 18	---- Reinforced	Free	—
6804 22 30	---- Of ceramics or silicates	Free	—
6804 22 50	---- Of other materials	Free	—
6804 22 90	--- Other	Free	—
6804 23 00	-- Of natural stone	Free	—
6804 30 00	-- Hand sharpening or polishing stones	Free	—
6805	Natural or artificial abrasive powder or grain, on a base of textile material, of paper, of paperboard or of other materials, whether or not cut to shape or sewn or otherwise made up:		
6805 10 00	-- On a base of woven textile fabric only	1,7	—
6805 20 00	-- On a base of paper or paperboard only	1,7	—
6805 30 00	-- On a base of other materials	1,7	—
6806	Slag-wool, rock-wool and similar mineral wools; exfoliated vermiculite, expanded clays, foamed slag and similar expanded mineral materials; mixtures and articles of heat-insulating, sound-insulating or sound-absorbing mineral materials, other than those of heading 6811 or 6812 or of Chapter 69:		
6806 10 00	-- Slag-wool, rock-wool and similar mineral wools (including intermixtures thereof), in bulk, sheets or rolls	Free	—
6806 20	-- Exfoliated vermiculite, expanded clays, foamed slag and similar expanded mineral materials (including intermixtures thereof):		
6806 20 10	--- Expanded clays	Free	—
6806 20 90	--- Other	Free	—
6806 90 00	-- Other	Free	—
6807	Articles of asphalt or of similar material (for example, petroleum bitumen or coal tar pitch):		
6807 10 00	-- In rolls	Free	m ²
6807 90 00	-- Other	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6808 00 00	Panels, boards, tiles, blocks and similar articles of vegetable fibre, of straw or of shavings, chips, particles, sawdust or other waste of wood, agglomerated with cement, plaster or other mineral binders	1,7	—
6809	Articles of plaster or of compositions based on plaster:		
	– Boards, sheets, panels, tiles and similar articles, not ornamented:		
6809 11 00	– – Faced or reinforced with paper or paperboard only	1,7	m ²
6809 19 00	– – Other	1,7	m ²
6809 90 00	– Other articles	1,7	—
6810	Articles of cement, of concrete or of artificial stone, whether or not reinforced:		
	– Tiles, flagstones, bricks and similar articles:		
6810 11	– – Building blocks and bricks:		
6810 11 10	– – – Of light concrete (with a basis of crushed pumice, granulated slag, etc.)	1,7	—
6810 11 90	– – – Other	1,7	—
6810 19 00	– – Other	1,7	—
	– Other articles:		
6810 91 00	– – Prefabricated structural components for building or civil engineering	1,7	—
6810 99 00	– – Other	1,7	—
6811	Articles of asbestos-cement, of cellulose fibre-cement or the like:		
6811 40 00	– Containing asbestos	1,7	—
	– Not containing asbestos:		
6811 81 00	– – Corrugated sheets	1,7	—
6811 82 00	– – Other sheets, panels, tiles and similar articles	1,7	—
6811 89 00	– – Other articles	1,7	—
6812	Fabricated asbestos fibres; mixtures with a basis of asbestos or with a basis of asbestos and magnesium carbonate; articles of such mixtures or of asbestos (for example, thread, woven fabric, clothing, headgear, footwear, gaskets), whether or not reinforced, other than goods of heading 6811 or 6813:		
6812 80	– Of crocidolite:		
6812 80 10	– – Fabricated fibres; mixtures with a basis of asbestos or with a basis of asbestos and magnesium carbonate	1,7	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6812 80 90	-- Other	3,7	—
	Other:		
6812 91 00	-- Clothing, clothing accessories, footwear and headgear	3,7	—
6812 92 00	-- Paper, millboard and felt	3,7	—
6812 93 00	-- Compressed asbestos fibre jointing, in sheets or rolls	3,7	—
6812 99	-- Other:		
6812 99 10	-- -- Fabricated asbestos fibres; mixtures with a basis of asbestos or with a basis of asbestos and magnesium carbonate	1,7	—
6812 99 90	-- -- Other	3,7	—
6813	Friction material and articles thereof (for example, sheets, rolls, strips, segments, discs, washers, pads), not mounted, for brakes, for clutches or the like, with a basis of asbestos, of other mineral substances or of cellulose, whether or not combined with textile or other materials:		
6813 20 00	-- Containing asbestos	2,7	—
	Not containing asbestos:		
6813 81 00	-- Brake linings and pads	2,7	—
6813 89 00	-- Other	2,7	—
6814	Worked mica and articles of mica, including agglomerated or reconstituted mica, whether or not on a support of paper, paperboard or other materials:		
6814 10 00	-- Plates, sheets and strips of agglomerated or reconstituted mica, whether or not on a support	1,7	—
6814 90 00	-- Other	1,7	—
6815	Articles of stone or of other mineral substances (including carbon fibres, articles of carbon fibres and articles of peat), not elsewhere specified or included:		
6815 10	Non-electrical articles of graphite or other carbon:		
6815 10 10	-- Carbon fibres and articles of carbon fibres	Free	—
6815 10 90	-- Other	Free	—
6815 20 00	-- Articles of peat	Free	—
	Other articles:		
6815 91 00	-- Containing magnesite, dolomite or chromite	Free	—
6815 99 00	-- Other	Free	—

▼ **M216**

CHAPTER 69

CERAMIC PRODUCTS

Notes

1. This chapter applies only to ceramic products which have been fired after shaping. Headings 6904 to 6914 apply only to such products other than those classifiable in headings 6901 to 6903.
2. This chapter does not cover:
 - (a) products of heading 2844;
 - (b) articles of heading 6804;
 - (c) articles of Chapter 71 (for example, imitation jewellery);
 - (d) cermets of heading 8113;
 - (e) articles of Chapter 82;
 - (f) electrical insulators (heading 8546) or fittings of insulating material of heading 8547;
 - (g) artificial teeth (heading 9021);
 - (h) articles of Chapter 91 (for example, clocks and clock cases);
 - (ij) articles of Chapter 94 (for example, furniture, lamps and lighting fittings, prefabricated buildings);
 - (k) articles of Chapter 95 (for example, toys, games and sports requisites);
 - (l) articles of heading 9606 (for example, buttons) or of heading 9614 (for example, smoking pipes); or
 - (m) articles of Chapter 97 (for example, works of art).

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	I. GOODS OF SILICEOUS FOSSIL MEALS OR OF SIMILAR SILICEOUS EARTHS, AND REFRACTORY GOODS		
6901 00 00	Bricks, blocks, tiles and other ceramic goods of siliceous fossil meals (for example, kieselguhr, tripolite or diatomite) or of similar siliceous earths	2	—
6902	Refractory bricks, blocks, tiles and similar refractory ceramic constructional goods, other than those of siliceous fossil meals or similar siliceous earths:		
6902 10 00	– Containing, by weight, singly or together, more than 50 % of the elements Mg, Ca or Cr, expressed as MgO, CaO or Cr₂O₃	2	—
6902 20	– Containing, by weight, more than 50 % of alumina (Al₂O₃), of silica (SiO₂) or of a mixture or compound of these products:		
6902 20 10	– – Containing, by weight, 93 % or more of silica (SiO₂)	2	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	– – Other:		
6902 20 91	– – – Containing, by weight, more than 7 % but less than 45 % of alumina (Al ₂ O ₃)	2	—
6902 20 99	– – – Other	2	—
6902 90 00	– Other	2	—
6903	Other refractory ceramic goods (for example, retorts, crucibles, muffles, nozzles, plugs, supports, cupels, tubes, pipes, sheaths and rods), other than those of siliceous fossil meals or of similar siliceous earths:		
6903 10 00	– Containing, by weight, more than 50 % of graphite or other carbon or of a mixture of these products	5	—
6903 20	– Containing, by weight, more than 50 % of alumina (Al ₂ O ₃) or of a mixture or compound of alumina and of silica (SiO ₂):		
6903 20 10	– – Containing, by weight, less than 45 % of alumina (Al ₂ O ₃)	5	—
6903 20 90	– – Containing, by weight, 45 % or more of alumina (Al ₂ O ₃)	5	—
6903 90	– Other:		
6903 90 10	– – Containing, by weight, more than 25 % but not more than 50 % of graphite or other carbon or of a mixture of these products	5	—
6903 90 90	– – Other	5	—
	II. OTHER CERAMIC PRODUCTS		
6904	Ceramic building bricks, flooring blocks, support or filler tiles and the like:		
6904 10 00	– Building bricks	2	p/st
6904 90 00	– Other	2	—
6905	Roofing tiles, chimney pots, cowls, chimney liners, architectural ornaments and other ceramic constructional goods:		
6905 10 00	– Roofing tiles	Free	p/st
6905 90 00	– Other	Free	—
6906 00 00	Ceramic pipes, conduits, guttering and pipe fittings	Free	—
6907	Ceramic flags and paving, hearth or wall tiles; ceramic mosaic cubes and the like, whether or not on a backing; finishing ceramics:		
	– Flags and paving, hearth or wall tiles, other than those of subheadings 6907 30 and 6907 40:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6907 21 00	– – Of a water absorption coefficient by weight not exceeding 0,5 %	5	m ²
6907 22 00	– – Of a water absorption coefficient by weight exceeding 0,5 % but not exceeding 10 %	5	m ²
6907 23 00	– – Of a water absorption coefficient by weight exceeding 10 %	5	m ²
6907 30 00	– Mosaic cubes and the like, other than those of subheading 6907 40	5	m ²
6907 40 00	– Finishing ceramics	5	m ²
[6908]			
6909	Ceramic wares for laboratory, chemical or other technical uses; ceramic troughs, tubs and similar receptacles of a kind used in agriculture; ceramic pots, jars and similar articles of a kind used for the conveyance or packing of goods:		
	– Ceramic wares for laboratory, chemical or other technical uses:		
6909 11 00	– – Of porcelain or china	5	—
6909 12 00	– – Articles having a hardness equivalent to 9 or more on the Mohs scale	5	—
6909 19 00	– – Other	5	—
6909 90 00	– Other	5	—
6910	Ceramic sinks, washbasins, washbasin pedestals, baths, bidets, water closet pans, flushing cisterns, urinals and similar sanitary fixtures:		
6910 10 00	– Of porcelain or china	7	—
6910 90 00	– Other	7	—
6911	Tableware, kitchenware, other household articles and toilet articles, of porcelain or china:		
6911 10 00	– Tableware and kitchenware	12	—
6911 90 00	– Other	12	—
6912 00	Ceramic tableware, kitchenware, other household articles and toilet articles, other than of porcelain or china:		
	– Tableware and kitchenware:		
6912 00 21	– – Of common pottery	5	—
6912 00 23	– – Stoneware	5,5	—
6912 00 25	– – Earthenware or fine pottery	9	—
6912 00 29	– – Other	7	—
	– Other:		
6912 00 81	– – Of common pottery	5	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
6912 00 83	-- Stoneware	5,5	—
6912 00 85	-- Earthenware or fine pottery	9	—
6912 00 89	-- Other	7	—
6913	Statuettes and other ornamental ceramic articles:		
6913 10 00	-- Of porcelain or china	6	—
6913 90	-- Other:		
6913 90 10	-- Of common pottery	3,5	—
	-- Other:		
6913 90 93	-- -- Earthenware or fine pottery	6	—
6913 90 98	-- -- Other	6	—
6914	Other ceramic articles:		
6914 10 00	-- Of porcelain or china	5	—
6914 90 00	-- Other	3	—

▼M216*CHAPTER 70***GLASS AND GLASSWARE****Notes**

1. This chapter does not cover:
 - (a) goods of heading 3207 (for example, vitrifiable enamels and glazes, glass frit, other glass in the form of powder, granules or flakes);
 - (b) articles of Chapter 71 (for example, imitation jewellery);
 - (c) optical fibre cables of heading 8544, electrical insulators (heading 8546) or fittings of insulating material of heading 8547;
 - (d) optical fibres, optically worked optical elements, hypodermic syringes, artificial eyes, thermometers, barometers, hydrometers or other articles of Chapter 90;
 - (e) lamps or lighting fittings, illuminated signs, illuminated nameplates or the like, having a permanently fixed light source, or parts thereof of heading 9405;
 - (f) toys, games, sports requisites, Christmas tree ornaments or other articles of Chapter 95 (excluding glass eyes without mechanisms for dolls or for other articles of Chapter 95); or
 - (g) buttons, fitted vacuum flasks, scent or similar sprays or other articles of Chapter 96.
2. For the purposes of headings 7003, 7004 and 7005:
 - (a) glass is not regarded as 'worked' by reason of any process it has undergone before annealing;
 - (b) cutting to shape does not affect the classification of glass in sheets;
 - (c) the expression 'absorbent, reflecting or non-reflecting layer' means a microscopically thin coating of metal or of a chemical compound (for example, metal oxide) which absorbs, for example, infra-red light or improves the reflecting qualities of the glass while still allowing it to retain a degree of transparency or translucency; or which prevents light from being reflected on the surface of the glass.
3. The products referred to in heading 7006 remain classified in that heading, whether or not they have the character of articles.
4. For the purposes of heading 7019, the expression 'glass wool' means:
 - (a) mineral wools with a silica (SiO_2) content not less than 60 % by weight;
 - (b) mineral wools with a silica (SiO_2) content less than 60 % but with an alkaline oxide (K_2O or Na_2O) content exceeding 5 % by weight or a boric oxide (B_2O_3) content exceeding 2 % by weight.

Mineral wools which do not comply with the above specifications fall in heading 6806.
5. Throughout the nomenclature, the expression 'glass' includes fused quartz and other fused silica.

▼ **M216****Subheading note**

1. For the purposes of subheadings 7013 22, 7013 33, 7013 41 and 7013 91, the expression 'lead crystal' means only glass having a minimum lead monoxide (PbO) content by weight of 24 %.

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7001 00	Cullet and other waste and scrap of glass; glass in the mass:		
7001 00 10	– Cullet and other waste and scrap of glass	Free	—
	– Glass in the mass:		
7001 00 91	– – Optical glass	3	—
7001 00 99	– – Other	Free	—
7002	Glass in balls (other than microspheres of heading 7018), rods or tubes, unworked:		
7002 10 00	– Balls	3	—
7002 20	– Rods:		
7002 20 10	– – Of optical glass	3	—
7002 20 90	– – Other	3	—
	– Tubes:		
7002 31 00	– – Of fused quartz or other fused silica	3	—
7002 32 00	– – Of other glass having a linear coefficient of expansion not exceeding 5×10^{-6} per Kelvin within a temperature range of 0 °C to 300 °C	3	—
7002 39 00	– – Other	3	—
7003	Cast glass and rolled glass, in sheets or profiles, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked:		
	– Non-wired sheets:		
7003 12	– – Coloured throughout the mass (body tinted), opacified, flashed or having an absorbent, reflecting or non-reflecting layer:		
7003 12 10	– – – Of optical glass	3	m ²
	– – – Other:		
7003 12 91	– – – – Having a non-reflecting layer	3	m ²
7003 12 99	– – – – Other	3,8 MIN 0,6 € 100 kg/br	m ²
7003 19	– – Other:		
7003 19 10	– – – Of optical glass	3	m ²
7003 19 90	– – – Other	3,8 MIN 0,6 € 100 kg/br	m ²

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7003 20 00	– Wired sheets	3,8 MIN 0,4 € 100 kg/br	m ²
7003 30 00	– Profiles	3	—
7004	Drawn glass and blown glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked:		
7004 20	– Glass, coloured throughout the mass (body tinted), opacified, flashed or having an absorbent, reflecting or non-reflecting layer:		
7004 20 10	– – Optical glass	3	m ²
	– – Other:		
7004 20 91	– – – Having a non-reflecting layer	3	m ²
7004 20 99	– – – Other	4,4 MIN 0,4 € 100 kg/br	m ²
7004 90	– Other glass:		
7004 90 10	– – Optical glass	3	m ²
7004 90 80	– – Other	4,4 MIN 0,4 € 100 kg/br	m ²
7005	Float glass and surface ground or polished glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked:		
7005 10	– Non-wired glass, having an absorbent, reflecting or non-reflecting layer:		
7005 10 05	– – Having a non-reflecting layer	3	m ²
	– – Other, of a thickness:		
7005 10 25	– – – Not exceeding 3,5 mm	2	m ²
7005 10 30	– – – Exceeding 3,5 mm but not exceeding 4,5 mm	2	m ²
7005 10 80	– – – Exceeding 4,5 mm	2	m ²
	– Other non-wired glass:		
7005 21	– – Coloured throughout the mass (body tinted), opacified, flashed or merely surface ground:		
7005 21 25	– – – Of a thickness not exceeding 3,5 mm	2	m ²
7005 21 30	– – – Of a thickness exceeding 3,5 mm but not exceeding 4,5 mm	2	m ²
7005 21 80	– – – Of a thickness exceeding 4,5 mm	2	m ²
7005 29	– – Other:		
7005 29 25	– – – Of a thickness not exceeding 3,5 mm	2	m ²
7005 29 35	– – – Of a thickness exceeding 3,5 mm but not exceeding 4,5 mm	2	m ²

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7005 29 80	— — — Of a thickness exceeding 4,5 mm	2	m ²
7005 30 00	— Wired glass	2	m ²
7006 00	Glass of heading 7003, 7004 or 7005, bent, edge-worked, engraved, drilled, enamelled or otherwise worked, but not framed or fitted with other materials:		
7006 00 10	— Optical glass	3	—
7006 00 90	— Other	3	—
7007	Safety glass, consisting of toughened (tempered) or laminated glass:		
	— Toughened (tempered) safety glass:		
7007 11	— — Of size and shape suitable for incorporation in vehicles, aircraft, spacecraft or vessels:		
7007 11 10	— — — Of size and shape suitable for incorporation in motor vehicles	3	—
7007 11 90	— — — Other	3	—
7007 19	— — Other:		
7007 19 10	— — — Enamelled	3	m ²
7007 19 20	— — — Coloured throughout the mass (body tinted), opacified, flashed or having an absorbent or reflecting layer	3	m ²
7007 19 80	— — — Other	3	m ²
	— Laminated safety glass:		
7007 21	— — Of size and shape suitable for incorporation in vehicles, aircraft, spacecraft or vessels:		
7007 21 20	— — — Of size and shape suitable for incorporation in motor vehicles	3	—
7007 21 80	— — — Other	3	—
7007 29 00	— — Other	3	m ²
7008 00	Multiple-walled insulating units of glass:		
7008 00 20	— Coloured throughout the mass (body tinted), opacified, flashed or having an absorbent or reflecting layer	3	m ²
	— Other:		
7008 00 81	— — Consisting of two panels of glass sealed around the edges by an airtight joint and separated by a layer of air, other gases or a vacuum	3	m ²
7008 00 89	— — Other	3	m ²

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7009	Glass mirrors, whether or not framed, including rear-view mirrors:		
7009 10 00	– Rear-view mirrors for vehicles	4	p/st
	– Other:		
7009 91 00	– – Unframed	4	—
7009 92 00	– – Framed	4	—
7010	Carboys, bottles, flasks, jars, pots, phials, ampoules and other containers, of glass, of a kind used for the conveyance or packing of goods; preserving jars of glass; stoppers, lids and other closures, of glass:		
7010 10 00	– Ampoules	3	p/st
7010 20 00	– Stoppers, lids and other closures	5	—
7010 90	– Other:		
7010 90 10	– – Preserving jars (sterilising jars)	5	p/st
	– – Other:		
7010 90 21	– – – Made from tubing of glass	5	p/st
	– – – Other, of a nominal capacity of:		
7010 90 31	– – – – 2,5 l or more	5	p/st
	– – – – Less than 2,5 l:		
	– – – – – For beverages and foodstuffs:		
	– – – – – Bottles:		
	– – – – – Of colourless glass, of a nominal capacity of:		
7010 90 41	– – – – – – 1 l or more	5	p/st
7010 90 43	– – – – – – More than 0,33 l but less than 1 l	5	p/st
7010 90 45	– – – – – – 0,15 l or more but not more than 0,33 l	5	p/st
7010 90 47	– – – – – – Less than 0,15 l	5	p/st
	– – – – – – Of coloured glass, of a nominal capacity of:		
7010 90 51	– – – – – – – 1 l or more	5	p/st
7010 90 53	– – – – – – – More than 0,33 l but less than 1 l	5	p/st
7010 90 55	– – – – – – – 0,15 l or more but not more than 0,33 l	5	p/st
7010 90 57	– – – – – – – Less than 0,15 l	5	p/st
	– – – – – – – Other, of a nominal capacity of:		
7010 90 61	– – – – – – – 0,25 l or more	5	p/st
7010 90 67	– – – – – – – Less than 0,25 l	5	p/st

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	— — — — — For pharmaceutical products, of a nominal capacity:		
7010 90 71	— — — — — Exceeding 0,055 l	5	p/st
7010 90 79	— — — — — Not exceeding 0,055 l	5	p/st
	— — — — — For other products:		
7010 90 91	— — — — — Of colourless glass	5	p/st
7010 90 99	— — — — — Of coloured glass	5	p/st
7011	Glass envelopes (including bulbs and tubes), open, and glass parts thereof, without fittings, for electric lamps, cathode ray tubes or the like:		
7011 10 00	— For electric lighting	4	—
7011 20 00	— For cathode ray tubes	4	—
7011 90 00	— Other	4	—
[7012]			
7013	Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018):		
7013 10 00	— Of glass ceramics	11	p/st
	— Stemware drinking glasses, other than of glass ceramics:		
7013 22	— — Of lead crystal:		
7013 22 10	— — — Gathered by hand	11	p/st
7013 22 90	— — — Gathered mechanically	11	p/st
7013 28	— — Other:		
7013 28 10	— — — Gathered by hand	11	p/st
7013 28 90	— — — Gathered mechanically	11	p/st
	— Other drinking glasses, other than of glass ceramics:		
7013 33	— — Of lead crystal:		
	— — — Gathered by hand:		
7013 33 11	— — — — Cut or otherwise decorated	11	p/st
7013 33 19	— — — — Other	11	p/st
	— — — Gathered mechanically:		
7013 33 91	— — — — Cut or otherwise decorated	11	p/st
7013 33 99	— — — — Other	11	p/st
7013 37	— — Other:		
7013 37 10	— — — Of toughened glass	11	p/st
	— — — Other:		
	— — — — Gathered by hand:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7013 37 51	— — — — Cut or otherwise decorated	11	p/st
7013 37 59	— — — — Other	11	p/st
	— — — — Gathered mechanically:		
7013 37 91	— — — — Cut or otherwise decorated	11	p/st
7013 37 99	— — — — Other	11	p/st
	— Glassware of a kind used for table (other than drinking glasses) or kitchen purposes other than of glass ceramics:		
7013 41	— — Of lead crystal:		
7013 41 10	— — — Gathered by hand	11	p/st
7013 41 90	— — — Gathered mechanically	11	p/st
7013 42 00	— — Of glass having a linear coefficient of expansion not exceeding 5×10^{-6} per Kelvin within a temperature range of 0 °C to 300 °C	11	p/st
7013 49	— — Other:		
7013 49 10	— — — Of toughened glass	11	p/st
	— — — Other:		
7013 49 91	— — — — Gathered by hand	11	p/st
7013 49 99	— — — — Gathered mechanically	11	p/st
	— Other glassware:		
7013 91	— — Of lead crystal:		
7013 91 10	— — — Gathered by hand	11	p/st
7013 91 90	— — — Gathered mechanically	11	p/st
7013 99 00	— — Other	11	p/st
7014 00 00	Signalling glassware and optical elements of glass (other than those of heading 7015), not optically worked	3	—
7015	Clock or watch glasses and similar glasses, glasses for non-corrective or corrective spectacles, curved, bent, hollowed or the like, not optically worked; hollow glass spheres and their segments, for the manufacture of such glasses:		
7015 10 00	— Glasses for corrective spectacles	3	—
7015 90 00	— Other	3	—
7016	Paving blocks, slabs, bricks, squares, tiles and other articles of pressed or moulded glass, whether or not wired, of a kind used for building or construction purposes; glass cubes and other glass smallwares, whether or not on a backing, for mosaics or similar decorative purposes; leaded lights and the like; multi-cellular or foam glass in blocks, panels, plates, shells or similar forms:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7016 10 00	– Glass cubes and other glass smallwares, whether or not on a backing, for mosaics or similar decorative purposes	8	—
7016 90	– Other:		
7016 90 10	– – Leaded lights and the like	3	m ²
7016 90 40	– – Blocks and bricks, of a kind used for building or construction purposes	3 MIN 1,2 € 100 kg/br	—
7016 90 70	– – Other	3 MIN 1,2 € 100 kg/br	—
7017	Laboratory, hygienic or pharmaceutical glassware, whether or not graduated or calibrated:		
7017 10 00	– Of fused quartz or other fused silica	3	—
7017 20 00	– Of other glass having a linear coefficient of expansion not exceeding 5×10^{-6} per Kelvin within a temperature range of 0 °C to 300 °C	3	—
7017 90 00	– Other	3	—
7018	Glass beads, imitation pearls, imitation precious or semi-precious stones and similar glass smallwares, and articles thereof other than imitation jewellery; glass eyes other than prosthetic articles; statuettes and other ornaments of lamp-worked glass, other than imitation jewellery; glass microspheres not exceeding 1 mm in diameter:		
7018 10	– Glass beads, imitation pearls, imitation precious or semi-precious stones and similar glass smallwares:		
	– – Glass beads:		
7018 10 11	– – – Cut and mechanically polished	Free	—
7018 10 19	– – – Other	7	—
7018 10 30	– – Imitation pearls	Free	—
	– – Imitation precious or semi-precious stones:		
7018 10 51	– – – Cut and mechanically polished	Free	—
7018 10 59	– – – Other	3	—
7018 10 90	– – Other	3 ⁽¹⁾	—
7018 20 00	– Glass microspheres not exceeding 1 mm in diameter	3	—
7018 90	– Other:		
7018 90 10	– – Glass eyes; articles of glass smallware	3	—
7018 90 90	– – Other	6	—

⁽¹⁾ WTO tariff quota.

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7019	Glass fibres (including glass wool) and articles thereof (for example, yarn, woven fabrics):		
	– Slivers, rovings, yarn and chopped strands:		
7019 11 00	– – Chopped strands, of a length of not more than 50 mm	7	—
7019 12 00	– – Rovings	7	—
7019 19	– – Other:		
7019 19 10	– – – Of filaments	7	—
7019 19 90	– – – Of staple fibres	7	—
	– Thin sheets (voiles), webs, mats, mattresses, boards and similar non-woven products:		
7019 31 00	– – Mats	7	—
7019 32 00	– – Thin sheets (voiles)	5	—
7019 39 00	– – Other	5	—
7019 40 00	– Woven fabrics of rovings	7	—
	– Other woven fabrics:		
7019 51 00	– – Of a width not exceeding 30 cm	7	—
7019 52 00	– – Of a width exceeding 30 cm, plain weave, weighing less than 250 g/m ² , of filaments measuring per single yarn not more than 136 tex	7	—
7019 59 00	– – Other	7	—
7019 90 00	– Other	7	—
7020 00	Other articles of glass:		
7020 00 05	– Quartz reactor tubes and holders designed for insertion into diffusion and oxidation furnaces for production of semiconductor materials	Free	—
	– Glass inners for vacuum flasks or for other vacuum vessels:		
7020 00 07	– – Unfinished	3	—
7020 00 08	– – Finished	6	—
	– Other:		
7020 00 10	– – Of fused quartz or other fused silica	3	—
7020 00 30	– – Of glass having a linear coefficient of expansion not exceeding 5 × 10 ⁻⁶ per Kelvin within a temperature range of 0 °C to 300 °C	3	—
7020 00 80	– – Other	3	—

▼ **M216***SECTION XIV***NATURAL OR CULTURED PEARLS, PRECIOUS OR SEMI-PRECIOUS STONES, PRECIOUS METALS, METALS CLAD WITH PRECIOUS METAL, AND ARTICLES THEREOF; IMITATION JEWELLERY; COIN***CHAPTER 71***NATURAL OR CULTURED PEARLS, PRECIOUS OR SEMI-PRECIOUS STONES, PRECIOUS METALS, METALS CLAD WITH PRECIOUS METAL, AND ARTICLES THEREOF; IMITATION JEWELLERY; COIN****Notes**

1. Subject to note 1(A) to Section VI and except as provided below, all articles consisting wholly or partly:
 - (a) of natural or cultured pearls or of precious or semi-precious stones (natural, synthetic or reconstructed), or
 - (b) of precious metal or of metal clad with precious metal,
 are to be classified in this chapter.
2. (A) Headings 7113, 7114 and 7115 do not cover articles in which precious metal or metal clad with precious metal is present as minor constituents only, such as minor fittings or minor ornamentation (for example, monograms, ferrules and rims), and paragraph (b) of the foregoing note does not apply to such articles.

(B) Heading 7116 does not cover articles containing precious metal or metal clad with precious metal (other than as minor constituents).
3. This chapter does not cover:
 - (a) amalgams of precious metal, or colloidal precious metal (heading 2843);
 - (b) sterile surgical suture materials, dental fillings or other goods of Chapter 30;
 - (c) goods of Chapter 32 (for example, lustres);
 - (d) supported catalysts (heading 3815);
 - (e) articles of heading 4202 or 4203 referred to in note 3(B) to Chapter 42;
 - (f) articles of heading 4303 or 4304;
 - (g) goods of Section XI (textiles and textile articles);
 - (h) footwear, headgear or other articles of Chapter 64 or 65;
 - (ij) umbrellas, walking sticks or other articles of Chapter 66;
 - (k) abrasive goods of heading 6804 or 6805 or Chapter 82, containing dust or powder of precious or semi-precious stones (natural or synthetic); articles of Chapter 82 with a working part of precious or semi-precious stones (natural, synthetic or reconstructed); machinery, mechanical appliances or electrical goods, or parts thereof, of Section XVI. However, articles and parts thereof, wholly of precious or semi-precious stones (natural, synthetic or reconstructed) remain classified in this chapter, except unmounted worked sapphires and diamonds for styluses (heading 8522);

▼M216

- (l) articles of Chapter 90, 91 or 92 (scientific instruments, clocks and watches, musical instruments);
 - (m) arms or parts thereof (Chapter 93);
 - (n) articles covered by note 2 to Chapter 95;
 - (o) articles classified in Chapter 96 by virtue of note 4 to that chapter; or
 - (p) original sculptures or statuary (heading 9703), collectors' pieces (heading 9705) or antiques of an age exceeding 100 years (heading 9706), other than natural or cultured pearls or precious or semi-precious stones.
4. (A) The expression 'precious metal' means silver, gold and platinum.
- (B) The expression 'platinum' means platinum, iridium, osmium, palladium, rhodium and ruthenium.
- (C) The expression 'precious or semi-precious stones' does not include any of the substances specified in note 2(b) to Chapter 96.
5. For the purposes of this chapter, any alloy (including a sintered mixture and an inter-metallic compound) containing precious metal is to be treated as an alloy of precious metal if any one precious metal constitutes as much as 2 %, by weight, of the alloy. Alloys of precious metal are to be classified according to the following rules:
- (a) An alloy containing 2 % or more, by weight, of platinum is to be treated as an alloy of platinum.
 - (b) An alloy containing 2 % or more, by weight, of gold but no platinum, or less than 2 %, by weight, of platinum, is to be treated as an alloy of gold.
 - (c) Other alloys containing 2 % or more, by weight, of silver are to be treated as alloys of silver.
6. Except where the context otherwise requires, any reference in the nomenclature to precious metal or to any particular precious metal includes a reference to alloys treated as alloys of precious metal or of the particular metal in accordance with the rules in note 5 above, but not to metal clad with precious metal or to base metal or non-metals plated with precious metal.
7. Throughout the nomenclature, the expression 'metal clad with precious metal' means material made with a base of metal upon one or more surfaces of which there is affixed by soldering, brazing, welding, hot-rolling or similar mechanical means a covering of precious metal. Except where the context otherwise requires, the expression also covers base metal inlaid with precious metal.
8. Subject to note 1(A) to Section VI, goods answering to a description in heading 7112 are to be classified in that heading and in no other heading of the nomenclature.
9. For the purposes of heading 7113, the expression 'articles of jewellery' means:
- (a) any small objects of personal adornment (for example, rings, bracelets, necklaces, brooches, earrings, watch-chains, fobs, pendants, tiepins, cuff links, dress-studs, religious or other medals and insignia); and

▼ **M216**

(b) articles of personal use of a kind normally carried in the pocket, in the handbag or on the person (for example, cigar or cigarette cases, snuff boxes, cachou or pill boxes, powder boxes, chain purses or prayer beads).

These articles may be combined or set, for example, with natural or cultured pearls, precious or semi-precious stones, synthetic or reconstructed precious or semi-precious stones, tortoise shell, mother-of-pearl, ivory, natural or reconstructed amber, jet or coral.

10. For the purposes of heading 7114, the expression ‘articles of goldsmiths’ or silversmiths’ wares’ includes such articles as ornaments, tableware, toilet-ware, smokers’ requisites and other articles of household, office or religious use.
11. For the purposes of heading 7117, the expression ‘imitation jewellery’ means articles of jewellery within the meaning of paragraph (a) of note 9 (but not including buttons or other articles of heading 9606, or dress-combs, hair-slides or the like, or hairpins, of heading 9615), not incorporating natural or cultured pearls, precious or semi-precious stones (natural, synthetic or reconstructed) nor (except as plating or as minor constituents) precious metal or metal clad with precious metal.

Subheading notes

1. For the purposes of subheadings 7106 10, 7108 11, 7110 11, 7110 21, 7110 31 and 7110 41, the expressions ‘powder’ and ‘in powder form’ mean products of which 90 % or more by weight passes through a sieve having a mesh aperture of 0,5 mm.
2. Notwithstanding the provisions of chapter note 4(B), for the purposes of subheadings 7110 11 and 7110 19, the expression ‘platinum’ does not include iridium, osmium, palladium, rhodium or ruthenium.
3. For the classification of alloys in the subheadings of heading 7110, each alloy is to be classified with that metal, platinum, palladium, rhodium, iridium, osmium or ruthenium which predominates by weight over each other of these metals.

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	I. NATURAL OR CULTURED PEARLS AND PRECIOUS OR SEMI-PRECIOUS STONES		
7101	Pearls, natural or cultured, whether or not worked or graded but not strung, mounted or set; pearls, natural or cultured, temporarily strung for convenience of transport:		
7101 10 00	– Natural pearls	Free	g
	– Cultured pearls:		
7101 21 00	– – Unworked	Free	g
7101 22 00	– – Worked	Free	g
7102	Diamonds, whether or not worked, but not mounted or set:		
7102 10 00	– Unsorted	Free	c/k

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	– Industrial:		
7102 21 00	– – Unworked or simply sawn, cleaved or bruted	Free	c/k
7102 29 00	– – Other	Free	c/k
	– Non-industrial:		
7102 31 00	– – Unworked or simply sawn, cleaved or bruted	Free	c/k
7102 39 00	– – Other	Free	c/k
7103	Precious stones (other than diamonds) and semi-precious stones, whether or not worked or graded but not strung, mounted or set; ungraded precious stones (other than diamonds) and semi-precious stones, temporarily strung for convenience of transport:		
7103 10 00	– Unworked or simply sawn or roughly shaped	Free	—
	– Otherwise worked:		
7103 91 00	– – Rubies, sapphires and emeralds	Free	g
7103 99 00	– – Other	Free	g
7104	Synthetic or reconstructed precious or semi-precious stones, whether or not worked or graded but not strung, mounted or set; ungraded synthetic or reconstructed precious or semi-precious stones, temporarily strung for convenience of transport:		
7104 10 00	– Piezoelectric quartz	Free	g
7104 20 00	– Other, unworked or simply sawn or roughly shaped	Free	g
7104 90 00	– Other	Free	g
7105	Dust and powder of natural or synthetic precious or semi-precious stones:		
7105 10 00	– Of diamonds	Free	g
7105 90 00	– Other	Free	g
	II. PRECIOUS METALS AND METALS CLAD WITH PRECIOUS METAL		
7106	Silver (including silver plated with gold or platinum), unwrought or in semi-manufactured forms, or in powder form:		
7106 10 00	– Powder	Free	g
	– Other:		
7106 91 00	– – Unwrought	Free	g
7106 92 00	– – Semi-manufactured	Free	g
7107 00 00	Base metals clad with silver, not further worked than semi-manufactured	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7108	Gold (including gold plated with platinum), unwrought or in semi-manufactured forms, or in powder form:		
	– Non-monetary:		
7108 11 00	– – Powder	Free	g
7108 12 00	– – Other unwrought forms	Free	g
7108 13	– – Other semi-manufactured forms:		
7108 13 10	– – – Bars, rods, wire and sections; plates; sheets and strips of a thickness, excluding any backing, exceeding 0,15 mm	Free	g
7108 13 80	– – – Other	Free	g
7108 20 00	– Monetary	Free	g
7109 00 00	Base metals or silver, clad with gold, not further worked than semi-manufactured	Free	—
7110	Platinum, unwrought or in semi-manufactured forms, or in powder form:		
	– Platinum:		
7110 11 00	– – Unwrought or in powder form	Free	g
7110 19	– – Other:		
7110 19 10	– – – Bars, rods, wire and sections; plates; sheets and strips of a thickness, excluding any backing, exceeding 0,15 mm	Free	g
7110 19 80	– – – Other	Free	g
	– Palladium:		
7110 21 00	– – Unwrought or in powder form	Free	g
7110 29 00	– – Other	Free	g
	– Rhodium:		
7110 31 00	– – Unwrought or in powder form	Free	g
7110 39 00	– – Other	Free	g
	– Iridium, osmium and ruthenium:		
7110 41 00	– – Unwrought or in powder form	Free	g
7110 49 00	– – Other	Free	g
7111 00 00	Base metals, silver or gold, clad with platinum, not further worked than semi-manufactured	Free	—
7112	Waste and scrap of precious metal or of metal clad with precious metal; other waste and scrap containing precious metal or precious-metal compounds, of a kind used principally for the recovery of precious metal:		
7112 30 00	– Ash containing precious metal or precious-metal compounds	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	– Other:		
7112 91 00	– – Of gold, including metal clad with gold but excluding sweepings containing other precious metals	Free	—
7112 92 00	– – Of platinum, including metal clad with platinum but excluding sweepings containing other precious metals	Free	—
7112 99 00	– – Other	Free	—
	III. JEWELLERY, GOLDSMITHS' AND SILVERSMITHS' WARES AND OTHER ARTICLES		
7113	Articles of jewellery and parts thereof, of precious metal or of metal clad with precious metal:		
	– Of precious metal whether or not plated or clad with precious metal:		
7113 11 00	– – Of silver, whether or not plated or clad with other precious metal	2,5	g
7113 19 00	– – Of other precious metal, whether or not plated or clad with precious metal	2,5	g
7113 20 00	– Of base metal clad with precious metal	4	—
7114	Articles of goldsmiths' or silversmiths' wares and parts thereof, of precious metal or of metal clad with precious metal:		
	– Of precious metal whether or not plated or clad with precious metal:		
7114 11 00	– – Of silver, whether or not plated or clad with other precious metal	2	g
7114 19 00	– – Of other precious metal, whether or not plated or clad with precious metal	2	g
7114 20 00	– Of base metal clad with precious metal	2	—
7115	Other articles of precious metal or of metal clad with precious metal:		
7115 10 00	– Catalysts in the form of wire cloth or grill, of platinum	Free	—
7115 90 00	– Other	3	—
7116	Articles of natural or cultured pearls, precious or semi-precious stones (natural, synthetic or reconstructed):		
7116 10 00	– Of natural or cultured pearls	Free	g
7116 20	– Of precious or semi-precious stones (natural, synthetic or reconstructed):		
7116 20 11	– – Necklaces, bracelets and other articles made wholly of natural precious or semi-precious stones, simply strung without fasteners or other accessories	Free	g
7116 20 80	– – Other	2,5	g

▼ **M216**

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7117	Imitation jewellery:		
	– Of base metal, whether or not plated with precious metal:		
7117 11 00	– – Cuff links and studs	4	—
7117 19 00	– – Other	4	—
7117 90 00	– Other	4	—
7118	Coin:		
7118 10 00	– Coin (other than gold coin), not being legal tender	Free	g
7118 90 00	– Other	Free	g

▼M216*SECTION XV***BASE METALS AND ARTICLES OF BASE METAL****Notes**

1. This section does not cover:

- (a) prepared paints, inks or other products with a basis of metallic flakes or powder (headings 3207 to 3210, 3212, 3213 or 3215);
- (b) ferro-cerium or other pyrophoric alloys (heading 3606);
- (c) headgear or parts thereof of heading 6506 or 6507;
- (d) umbrella frames or other articles of heading 6603;
- (e) goods of Chapter 71 (for example, precious-metal alloys, base metal clad with precious metal, imitation jewellery);
- (f) articles of Section XVI (machinery, mechanical appliances and electrical goods);
- (g) assembled railway or tramway track (heading 8608) or other articles of Section XVII (vehicles, ships and boats, aircraft);
- (h) instruments or apparatus of Section XVIII, including clock or watch springs;
- (ij) lead shot prepared for ammunition (heading 9306) or other articles of Section XIX (arms and ammunition);
- (k) articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
- (l) articles of Chapter 95 (for example, toys, games, sports requisites);
- (m) hand sieves, buttons, pens, pencil-holders, pen nibs, monopods, bipods, tripods and similar articles or other articles of Chapter 96 (miscellaneous manufactured articles); or
- (n) articles of Chapter 97 (for example, works of art).

2. Throughout the nomenclature, the expression 'parts of general use' means:

- (a) articles of heading 7307, 7312, 7315, 7317 or 7318 and similar articles of other base metal;
- (b) springs and leaves for springs, of base metal, other than clock or watch springs (heading 9114); and
- (c) articles of headings 8301, 8302, 8308, 8310 and frames and mirrors, of base metal, of heading 8306.

In Chapters 73 to 76 and 78 to 82 (but not in heading 7315), references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.

▼M216

3. Throughout the nomenclature, the expression 'base metals' means: iron and steel, copper, nickel, aluminium, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
4. Throughout the nomenclature, the term 'cermets' means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term 'cermets' includes sintered metal carbides (metal carbides sintered with a metal).
5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals.
 - (b) An alloy composed of base metals of this section and of elements not falling within this section is to be treated as an alloy of base metals of this section if the total weight of such metals equals or exceeds the total weight of the other elements present.
 - (c) In this section, the term 'alloys' includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
6. Unless the context otherwise requires, any reference in the nomenclature to a base metal includes a reference to alloys which, by virtue of note 5 above, are to be classified as alloys of that metal.
7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the interpretative rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals.

For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal.
 - (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of note 5, it is classified.
 - (c) A cermet of heading 8113 is regarded as a single base metal.
8. In this section, the following expressions have the meanings hereby assigned to them:

- (a) Waste and scrap

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

- (b) Powders

Products of which 90 % or more by weight passes through a sieve having a mesh aperture of 1 mm.

▼M216*CHAPTER 72***IRON AND STEEL****Notes**

1. In this chapter and, in the case of notes (d), (e) and (f) throughout the nomenclature, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2 % by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10 % of chromium,
- not more than 6 % of manganese,
- not more than 3 % of phosphorus,
- not more than 8 % of silicon,
- a total of not more than 10 % of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 % but not more than 30 % of manganese and otherwise conforming to the specification at (a) above.

(c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 % or more of the element iron and one or more of the following:

- more than 10 % of chromium,
- more than 30 % of manganese,
- more than 3 % of phosphorus,
- more than 8 % of silicon,
- a total of more than 10 % of other elements, excluding carbon, subject to a maximum content of 10 % in the case of copper.

(d) Steel

Ferrous materials other than those of heading 7203 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 % or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight, 1,2 % or less of carbon and 10,5 % or more of chromium, with or without other elements.

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

▼M216

- 0,3 % or more of aluminium,
- 0,0008 % or more of boron,
- 0,3 % or more of chromium,
- 0,3 % or more of cobalt,
- 0,4 % or more of copper,
- 0,4 % or more of lead,
- 1,65 % or more of manganese,
- 0,08 % or more of molybdenum,
- 0,3 % or more of nickel,
- 0,06 % or more of niobium,
- 0,6 % or more of silicon,
- 0,05 % or more of titanium,
- 0,3 % or more of tungsten (wolfram),
- 0,1 % or more of vanadium,
- 0,05 % or more of zirconium,
- 0,1 % or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90 % by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 % or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4,75 mm are of a width measuring at least 10 times the thickness or if of a thickness of 4,75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

▼M216

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(l) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including 'flattened circles' and 'modified rectangles', of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including 'flattened circles' and 'modified rectangles', of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel).

These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods),
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 7301 or 7302.

(o) Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 7304.

▼M216

2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this chapter appropriate to similar hot-rolled products.

Subheading notes

1. In this chapter, the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0,2 % of chromium,
- more than 0,3 % of copper,
- more than 0,3 % of nickel,
- more than 0,1 % of any of the following elements: aluminium, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Non-alloy free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0,08 % or more of sulphur,
- 0,1 % or more of lead,
- more than 0,05 % of selenium,
- more than 0,01 % of tellurium,
- more than 0,05 % of bismuth.

(c) Silicon-electrical steel

Alloy steels containing by weight at least 0,6 % but not more than 6 % of silicon and not more than 0,08 % of carbon. They may also contain by weight not more than 1 % of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High-speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 % or more, 0,6 % or more of carbon and 3 to 6 % of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0,7 % of carbon,
- 0,5 % or more but not more than 1,9 % of manganese, and
- 0,6 % or more but not more than 2,3 % of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.

▼M216

2. For the classification of ferro-alloys in the subheadings of heading 7202, the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in note 1(c) to this chapter; by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule, the unspecified 'other elements' referred to in note 1(c) to this chapter must each exceed 10 % by weight.

Additional note

1. The following expressions have the meanings hereby assigned to them:

— 'Electrical': for the purposes of subheadings 7209 16 10, 7209 17 10, 7209 18 10, 7209 26 10, 7209 27 10, 7209 28 10 and 7211 23 20, flat-rolled products which under a current at 50 Hz and a magnetic flux of 1 T have a watt-loss per kilogram, calculated by the Epstein method, of:

— 2,1 W or less, when their thickness does not exceed 0,20 mm,

— 3,6 W or less, when their thickness is not less than 0,20 mm but less than 0,60 mm,

— 6 W or less, when their thickness is not less than 0,60 mm but not greater than 1,50 mm.

— 'Tinplate': for the purposes of subheadings 7210 12 20, 7210 70 10, 7212 10 10 and 7212 40 20, flat-rolled products (of a thickness of less than 0,5 mm) coated with a layer of metal containing, by weight, 97 % or more of tin.

— 'Tool steel': for the purposes of subheadings 7224 10 10, 7224 90 02, 7225 30 10, 7225 40 12, 7226 91 20, 7228 30 20, 7228 40 10, 7228 50 20 and 7228 60 20, alloy steels, other than stainless or high-speed steel, containing, by weight, one of the following compositions, with or without other elements:

— less than 0,6 % of carbon

and

0,7 % or more of silicon and 0,05 % or more of vanadium

or

4 % or more of tungsten,

— 0,8 % or more of carbon

and

0,05 % or more of vanadium,

— more than 1,2 % of carbon

and

not less than 11 % but not more than 15 % of chromium,

— 0,16 % or more but not more than 0,5 % of carbon

and

▼ **M216**

- 3,8 % or more but not more than 4,3 % of nickel
and
1,1 % or more but not more than 1,5 % of chromium
and
0,15 % or more but not more than 0,5 % of molybdenum,
— 0,3 % or more but not more than 0,5 % of carbon
and
1,4 % or more but not more than 2,1 % of chromium
and
0,15 % or more but not more than 0,5 % of molybdenum
and
less than 1,2 % of nickel,
— 0,3 % or more of carbon
and
less than 5,2 % of chromium
and
0,65 % or more of molybdenum or 0,4 % or more of tungsten,
— 0,5 % or more but not more than 0,6 % of carbon
and
1,25 % or more but not more than 1,8 % of nickel
and
0,5 % or more but not more than 1,2 % of chromium
and
0,15 % or more but not more than 0,5 % of molybdenum.

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	I. PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM		
7201	Pig iron and spiegeleisen in pigs, blocks or other primary forms:		
7201 10	– Non-alloy pig iron containing by weight 0,5 % or less of phosphorus:		
	– – Containing by weight not less than 0,4 % of manganese:		
7201 10 11	– – – Containing by weight 1 % or less of silicon	1,7	—
7201 10 19	– – – Containing by weight more than 1 % of silicon	1,7	—
7201 10 30	– – Containing by weight not less than 0,1 % but less than 0,4 % of manganese	1,7	—
7201 10 90	– – Containing by weight less than 0,1 % of manganese	Free	—
7201 20 00	– Non-alloy pig iron containing by weight more than 0,5 % of phosphorus	2,2	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7201 50	– Alloy pig iron; spiegeleisen:		
7201 50 10	– – Alloy pig iron containing by weight not less than 0,3 % but not more than 1 % of titanium and not less than 0,5 % but not more than 1 % of vanadium	Free	—
7201 50 90	– – Other	1,7	—
7202	Ferro-alloys:		
	– Ferro-manganese:		
7202 11	– – Containing by weight more than 2 % of carbon:		
7202 11 20	– – – With a granulometry not exceeding 5 mm and a manganese content by weight exceeding 65 %	2,7	—
7202 11 80	– – – Other	2,7	—
7202 19 00	– – Other	2,7	—
	– Ferro-silicon:		
7202 21 00	– – Containing by weight more than 55 % of silicon	5,7 ⁽¹⁾	—
7202 29	– – Other:		
7202 29 10	– – – Containing by weight 4 % or more but not more than 10 % of magnesium	5,7 ⁽¹⁾	—
7202 29 90	– – – Other	5,7 ⁽¹⁾	—
7202 30 00	– Ferro-silico-manganese	3,7 ⁽¹⁾	—
	– Ferro-chromium:		
7202 41	– – Containing by weight more than 4 % of carbon:		
7202 41 10	– – – Containing by weight more than 4 % but not more than 6 % of carbon	4	—
7202 41 90	– – – Containing by weight more than 6 % of carbon	4	—
7202 49	– – Other:		
7202 49 10	– – – Containing by weight not more than 0,05 % of carbon ...	7 ⁽¹⁾	—
7202 49 50	– – – Containing by weight more than 0,05 % but not more than 0,5 % of carbon	7 ⁽¹⁾	—
7202 49 90	– – – Containing by weight more than 0,5 % but not more than 4 % of carbon	7	—
7202 50 00	– Ferro-silico-chromium	2,7	—
7202 60 00	– Ferro-nickel	Free	—
7202 70 00	– Ferro-molybdenum	2,7	—
7202 80 00	– Ferro-tungsten and ferro-silico-tungsten	Free	—
	– Other:		
7202 91 00	– – Ferro-titanium and ferro-silico-titanium	2,7	—

⁽¹⁾ WTO tariff quota.

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7202 92 00	-- Ferro-vanadium	2,7	—
7202 93 00	-- Ferro-niobium	Free	—
7202 99	-- Other:		
7202 99 10	--- Ferro-phosphorus	Free	—
7202 99 30	--- Ferro-silico-magnesium	2,7	—
7202 99 80	--- Other	2,7	—
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms:		
7203 10 00	-- Ferrous products obtained by direct reduction of iron ore	Free	—
7203 90 00	-- Other	Free	—
7204	Ferrous waste and scrap; remelting scrap ingots of iron or steel:		
7204 10 00	-- Waste and scrap of cast iron	Free	—
	-- Waste and scrap of alloy steel:		
7204 21	-- Of stainless steel:		
7204 21 10	--- Containing by weight 8 % or more of nickel	Free	—
7204 21 90	--- Other	Free	—
7204 29 00	-- Other	Free	—
7204 30 00	-- Waste and scrap of tinned iron or steel	Free	—
	-- Other waste and scrap:		
7204 41	-- Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles:		
7204 41 10	--- Turnings, shavings, chips, milling waste, sawdust and filings	Free	—
	--- Trimmings and stampings:		
7204 41 91	--- In bundles	Free	—
7204 41 99	--- Other	Free	—
7204 49	-- Other:		
7204 49 10	--- Fragmentised (shredded)	Free	—
	--- Other:		
7204 49 30	--- In bundles	Free	—
7204 49 90	--- Other	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7204 50 00	– Remelting scrap ingots	Free	—
7205	Granules and powders, of pig iron, spiegeleisen, iron or steel:		
7205 10 00	– Granules	Free	—
	– Powders:		
7205 21 00	– – Of alloy steel	Free	—
7205 29 00	– – Other	Free	—
	II. IRON AND NON-ALLOY STEEL		
7206	Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 7203):		
7206 10 00	– Ingots	Free	—
7206 90 00	– Other	Free	—
7207	Semi-finished products of iron or non-alloy steel:		
	– Containing by weight less than 0,25 % of carbon:		
7207 11	– – Of rectangular (including square) cross-section, the width measuring less than twice the thickness:		
	– – – Rolled or obtained by continuous casting:		
7207 11 11	– – – – Of free-cutting steel	Free	—
	– – – – Other:		
7207 11 14	– – – – – Of a thickness not exceeding 130 mm	Free	—
7207 11 16	– – – – – Of a thickness exceeding 130 mm	Free	—
7207 11 90	– – – Forged	Free	—
7207 12	– – Other, of rectangular (other than square) cross-section:		
7207 12 10	– – – Rolled or obtained by continuous casting	Free	—
7207 12 90	– – – Forged	Free	—
7207 19	– – Other:		
	– – – Of circular or polygonal cross-section:		
7207 19 12	– – – – Rolled or obtained by continuous casting	Free	—
7207 19 19	– – – – Forged	Free	—
7207 19 80	– – – Other	Free	—
7207 20	– Containing by weight 0,25 % or more of carbon:		
	– – Of rectangular (including square) cross-section, the width measuring less than twice the thickness:		
	– – – Rolled or obtained by continuous casting:		
7207 20 11	– – – – Of free-cutting steel	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	— — — — Other, containing by weight:		
7207 20 15	— — — — — 0,25 % or more but less than 0,6 % of carbon	Free	—
7207 20 17	— — — — — 0,6 % or more of carbon	Free	—
7207 20 19	— — — Forged	Free	—
	— — Other, of rectangular (other than square) cross-section:		
7207 20 32	— — — Rolled or obtained by continuous casting	Free	—
7207 20 39	— — — Forged	Free	—
	— — Of circular or polygonal cross-section:		
7207 20 52	— — — Rolled or obtained by continuous casting	Free	—
7207 20 59	— — — Forged	Free	—
7207 20 80	— — Other	Free	—
7208	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:		
7208 10 00	— In coils, not further worked than hot-rolled, with patterns in relief	Free	—
	— Other, in coils, not further worked than hot-rolled, pickled:		
7208 25 00	— — Of a thickness of 4,75 mm or more	Free	—
7208 26 00	— — Of a thickness of 3 mm or more but less than 4,75 mm	Free	—
7208 27 00	— — Of a thickness of less than 3 mm	Free	—
	— Other, in coils, not further worked than hot-rolled:		
7208 36 00	— — Of a thickness exceeding 10 mm	Free	—
7208 37 00	— — Of a thickness of 4,75 mm or more but not exceeding 10 mm	Free	—
7208 38 00	— — Of a thickness of 3 mm or more but less than 4,75 mm	Free	—
7208 39 00	— — Of a thickness of less than 3 mm	Free	—
7208 40 00	— Not in coils, not further worked than hot-rolled, with patterns in relief	Free	—
	— Other, not in coils, not further worked than hot-rolled:		
7208 51	— — Of a thickness exceeding 10 mm:		
7208 51 20	— — — Of a thickness exceeding 15 mm	Free	—
	— — — Of a thickness exceeding 10 mm but not exceeding 15 mm, of a width of:		
7208 51 91	— — — — 2 050 mm or more	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7208 51 98	— — — — Less than 2 050 mm	Free	—
7208 52	— — Of a thickness of 4,75 mm or more but not exceeding 10 mm:		
7208 52 10	— — — Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm	Free	—
	— — — Other, of a width of:		
7208 52 91	— — — — 2 050 mm or more	Free	—
7208 52 99	— — — — Less than 2 050 mm	Free	—
7208 53	— — Of a thickness of 3 mm or more but less than 4,75 mm:		
7208 53 10	— — — Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of 4 mm or more	Free	—
7208 53 90	— — — Other	Free	—
7208 54 00	— — Of a thickness of less than 3 mm	Free	—
7208 90	— Other:		
7208 90 20	— — Perforated	Free	—
7208 90 80	— — Other	Free	—
7209	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:		
	— In coils, not further worked than cold-rolled (cold-reduced):		
7209 15 00	— — Of a thickness of 3 mm or more	Free	—
7209 16	— — Of a thickness exceeding 1 mm but less than 3 mm:		
7209 16 10	— — — 'Electrical'	Free	—
7209 16 90	— — — Other	Free	—
7209 17	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm:		
7209 17 10	— — — 'Electrical'	Free	—
7209 17 90	— — — Other	Free	—
7209 18	— — Of a thickness of less than 0,5 mm:		
7209 18 10	— — — 'Electrical'	Free	—
	— — — Other:		
7209 18 91	— — — — Of a thickness of 0,35 mm or more but less than 0,5 mm	Free	—
7209 18 99	— — — — Of a thickness of less than 0,35 mm	Free	—
	— Not in coils, not further worked than cold-rolled (cold-reduced):		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7209 25 00	-- Of a thickness of 3 mm or more	Free	—
7209 26	-- Of a thickness exceeding 1 mm but less than 3 mm:		
7209 26 10	--- 'Electrical'	Free	—
7209 26 90	--- Other	Free	—
7209 27	-- Of a thickness of 0,5 mm or more but not exceeding 1 mm:		
7209 27 10	--- 'Electrical'	Free	—
7209 27 90	--- Other	Free	—
7209 28	-- Of a thickness of less than 0,5 mm:		
7209 28 10	--- 'Electrical'	Free	—
7209 28 90	--- Other	Free	—
7209 90	-- Other:		
7209 90 20	-- Perforated	Free	—
7209 90 80	-- Other	Free	—
7210	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:		
	-- Plated or coated with tin:		
7210 11 00	-- Of a thickness of 0,5 mm or more	Free	—
7210 12	-- Of a thickness of less than 0,5 mm:		
7210 12 20	--- Tinplate	Free	—
7210 12 80	--- Other	Free	—
7210 20 00	-- Plated or coated with lead, including terne-plate	Free	—
7210 30 00	-- Electrolytically plated or coated with zinc	Free	—
	-- Otherwise plated or coated with zinc:		
7210 41 00	-- Corrugated	Free	—
7210 49 00	-- Other	Free	—
7210 50 00	-- Plated or coated with chromium oxides or with chromium and chromium oxides	Free	—
	-- Plated or coated with aluminium:		
7210 61 00	-- Plated or coated with aluminium-zinc alloys	Free	—
7210 69 00	-- Other	Free	—
7210 70	-- Painted, varnished or coated with plastics:		
7210 70 10	-- Tinplate, varnished; products, plated or coated with chromium oxides or with chromium and chromium oxides, varnished	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7210 70 80	-- Other	Free	—
7210 90	– Other:		
7210 90 30	-- Clad	Free	—
7210 90 40	-- Tinned and printed	Free	—
7210 90 80	-- Other	Free	—
7211	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:		
	– Not further worked than hot-rolled:		
7211 13 00	-- Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	Free	—
7211 14 00	-- Other, of a thickness of 4,75 mm or more	Free	—
7211 19 00	-- Other	Free	—
	– Not further worked than cold-rolled (cold-reduced):		
7211 23	-- Containing by weight less than 0,25 % of carbon:		
7211 23 20	--- ‘Electrical’	Free	—
	--- Other:		
7211 23 30	--- Of a thickness of 0,35 mm or more	Free	—
7211 23 80	--- Of a thickness of less than 0,35 mm	Free	—
7211 29 00	-- Other	Free	—
7211 90	– Other:		
7211 90 20	-- Perforated	Free	—
7211 90 80	-- Other	Free	—
7212	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated:		
7212 10	– Plated or coated with tin:		
7212 10 10	-- Tinplate, not further worked than surface-treated	Free	—
7212 10 90	-- Other	Free	—
7212 20 00	– Electrolytically plated or coated with zinc	Free	—
7212 30 00	– Otherwise plated or coated with zinc	Free	—
7212 40	– Painted, varnished or coated with plastics:		
7212 40 20	-- Tinplate, not further worked than varnished; products, plated or coated with chromium oxides or with chromium and chromium oxides, varnished	Free	—
7212 40 80	-- Other	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7212 50	– Otherwise plated or coated:		
7212 50 20	– – Plated or coated with chromium oxides or with chromium and chromium oxides	Free	—
7212 50 30	– – Plated or coated with chromium or nickel	Free	—
7212 50 40	– – Plated or coated with copper	Free	—
	– – Plated or coated with aluminium:		
7212 50 61	– – – Plated or coated with aluminium-zinc alloys	Free	—
7212 50 69	– – – Other	Free	—
7212 50 90	– – Other	Free	—
7212 60 00	– Clad	Free	—
7213	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel:		
7213 10 00	– Containing indentations, ribs, grooves or other deformations produced during the rolling process	Free	—
7213 20 00	– Other, of free-cutting steel	Free	—
	– Other:		
7213 91	– – Of circular cross-section measuring less than 14 mm in diameter:		
7213 91 10	– – – Of a type used for concrete reinforcement	Free	—
7213 91 20	– – – Of a type used for tyre cord	Free	—
	– – – Other:		
7213 91 41	– – – – Containing by weight 0,06 % or less of carbon	Free	—
7213 91 49	– – – – Containing by weight more than 0,06 % but less than 0,25 % of carbon	Free	—
7213 91 70	– – – – Containing by weight 0,25 % or more but not more than 0,75 % of carbon	Free	—
7213 91 90	– – – – Containing by weight more than 0,75 % of carbon	Free	—
7213 99	– – Other:		
7213 99 10	– – – Containing by weight less than 0,25 % of carbon	Free	—
7213 99 90	– – – Containing by weight 0,25 % or more of carbon	Free	—
7214	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:		
7214 10 00	– Forged	Free	—
7214 20 00	– Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling	Free	—
7214 30 00	– Other, of free-cutting steel	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	– Other:		
7214 91	– – Of rectangular (other than square) cross-section:		
7214 91 10	– – – Containing by weight less than 0,25 % of carbon	Free	—
7214 91 90	– – – Containing by weight 0,25 % or more of carbon	Free	—
7214 99	– – Other:		
	– – – Containing by weight less than 0,25 % of carbon:		
7214 99 10	– – – – Of a type used for concrete reinforcement	Free	—
	– – – – Other, of circular cross-section measuring in diameter:		
7214 99 31	– – – – – 80 mm or more	Free	—
7214 99 39	– – – – – Less than 80 mm	Free	—
7214 99 50	– – – – Other	Free	—
	– – – Containing by weight 0,25 % or more of carbon:		
	– – – – Of a circular cross-section measuring in diameter:		
7214 99 71	– – – – – 80 mm or more	Free	—
7214 99 79	– – – – – Less than 80 mm	Free	—
7214 99 95	– – – – Other	Free	—
7215	Other bars and rods of iron or non-alloy steel:		
7215 10 00	– Of free-cutting steel, not further worked than cold-formed or cold-finished	Free	—
7215 50	– Other, not further worked than cold-formed or cold-finished:		
	– – Containing by weight less than 0,25 % of carbon:		
7215 50 11	– – – Of rectangular (other than square) cross-section	Free	—
7215 50 19	– – – Other	Free	—
7215 50 80	– – Containing by weight 0,25 % or more of carbon	Free	—
7215 90 00	– Other	Free	—
7216	Angles, shapes and sections of iron or non-alloy steel:		
7216 10 00	– U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	Free	—
	– L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:		
7216 21 00	– – L sections	Free	—
7216 22 00	– – T sections	Free	—
	– U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7216 31	-- U sections:		
7216 31 10	-- Of a height of 80 mm or more but not exceeding 220 mm	Free	—
7216 31 90	-- Of a height exceeding 220 mm	Free	—
7216 32	-- I sections:		
	-- Of a height of 80 mm or more but not exceeding 220 mm:		
7216 32 11	-- With parallel flange faces	Free	—
7216 32 19	-- Other	Free	—
	-- Of a height exceeding 220 mm:		
7216 32 91	-- With parallel flange faces	Free	—
7216 32 99	-- Other	Free	—
7216 33	-- H sections:		
7216 33 10	-- Of a height of 80 mm or more but not exceeding 180 mm	Free	—
7216 33 90	-- Of a height exceeding 180 mm	Free	—
7216 40	-- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:		
7216 40 10	-- L sections	Free	—
7216 40 90	-- T sections	Free	—
7216 50	-- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded:		
7216 50 10	-- With a cross-section which is capable of being enclosed in a square the side of which is 80 mm	Free	—
	-- Other:		
7216 50 91	-- Bulb flats	Free	—
7216 50 99	-- Other	Free	—
	-- Angles, shapes and sections, not further worked than cold-formed or cold-finished:		
7216 61	-- Obtained from flat-rolled products:		
7216 61 10	-- C, L, U, Z, omega or open-ended sections	Free	—
7216 61 90	-- Other	Free	—
7216 69 00	-- Other	Free	—
	-- Other:		
7216 91	-- Cold-formed or cold-finished from flat-rolled products:		
7216 91 10	-- Profiled (ribbed) sheets	Free	—
7216 91 80	-- Other	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7216 99 00	-- Other	Free	—
7217	Wire of iron or non-alloy steel:		
7217 10	-- Not plated or coated, whether or not polished:		
	-- Containing by weight less than 0,25 % of carbon:		
7217 10 10	-- -- With a maximum cross-sectional dimension of less than 0,8 mm	Free	—
	-- -- With a maximum cross-sectional dimension of 0,8 mm or more:		
7217 10 31	-- -- -- Containing indentations, ribs, grooves or other deformations produced during the rolling process	Free	—
7217 10 39	-- -- -- Other	Free	—
7217 10 50	-- -- Containing by weight 0,25 % or more but less than 0,6 % of carbon	Free	—
7217 10 90	-- -- Containing by weight 0,6 % or more of carbon	Free	—
7217 20	-- Plated or coated with zinc:		
	-- Containing by weight less than 0,25 % of carbon:		
7217 20 10	-- -- With a maximum cross-sectional dimension of less than 0,8 mm	Free	—
7217 20 30	-- -- With a maximum cross-sectional dimension of 0,8 mm or more	Free	—
7217 20 50	-- -- Containing by weight 0,25 % or more but less than 0,6 % of carbon	Free	—
7217 20 90	-- -- Containing by weight 0,6 % or more of carbon	Free	—
7217 30	-- Plated or coated with other base metals:		
	-- Containing by weight less than 0,25 % of carbon:		
7217 30 41	-- -- Copper-coated	Free	—
7217 30 49	-- -- Other	Free	—
7217 30 50	-- -- Containing by weight 0,25 % or more but less than 0,6 % of carbon	Free	—
7217 30 90	-- -- Containing by weight 0,6 % or more of carbon	Free	—
7217 90	-- Other:		
7217 90 20	-- -- Containing by weight less than 0,25 % of carbon	Free	—
7217 90 50	-- -- Containing by weight 0,25 % or more but less than 0,6 % of carbon	Free	—
7217 90 90	-- -- Containing by weight 0,6 % or more of carbon	Free	—
	III. STAINLESS STEEL		
7218	Stainless steel in ingots or other primary forms; semi-finished products of stainless steel:		
7218 10 00	-- Ingots and other primary forms	Free	—
	-- Other:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7218 91	-- Of rectangular (other than square) cross-section:		
7218 91 10	-- -- Containing by weight 2,5 % or more of nickel	Free	—
7218 91 80	-- -- Containing by weight less than 2,5 % of nickel	Free	—
7218 99	-- Other:		
	-- -- Of square cross-section:		
7218 99 11	-- -- -- Rolled or obtained by continuous casting	Free	—
7218 99 19	-- -- -- Forged	Free	—
	-- -- -- Other:		
7218 99 20	-- -- -- Rolled or obtained by continuous casting	Free	—
7218 99 80	-- -- -- Forged	Free	—
7219	Flat-rolled products of stainless steel, of a width of 600 mm or more:		
	-- Not further worked than hot-rolled, in coils:		
7219 11 00	-- -- Of a thickness exceeding 10 mm	Free	—
7219 12	-- -- Of a thickness of 4,75 mm or more but not exceeding 10 mm:		
7219 12 10	-- -- -- Containing by weight 2,5 % or more of nickel	Free	—
7219 12 90	-- -- -- Containing by weight less than 2,5 % of nickel	Free	—
7219 13	-- -- Of a thickness of 3 mm or more but less than 4,75 mm:		
7219 13 10	-- -- -- Containing by weight 2,5 % or more of nickel	Free	—
7219 13 90	-- -- -- Containing by weight less than 2,5 % of nickel	Free	—
7219 14	-- -- Of a thickness of less than 3 mm:		
7219 14 10	-- -- -- Containing by weight 2,5 % or more of nickel	Free	—
7219 14 90	-- -- -- Containing by weight less than 2,5 % of nickel	Free	—
	-- Not further worked than hot-rolled, not in coils:		
7219 21	-- -- Of a thickness exceeding 10 mm:		
7219 21 10	-- -- -- Containing by weight 2,5 % or more of nickel	Free	—
7219 21 90	-- -- -- Containing by weight less than 2,5 % of nickel	Free	—
7219 22	-- -- Of a thickness of 4,75 mm or more but not exceeding 10 mm:		
7219 22 10	-- -- -- Containing by weight 2,5 % or more of nickel	Free	—
7219 22 90	-- -- -- Containing by weight less than 2,5 % of nickel	Free	—
7219 23 00	-- -- Of a thickness of 3 mm or more but less than 4,75 mm	Free	—
7219 24 00	-- -- Of a thickness of less than 3 mm	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	– Not further worked than cold-rolled (cold-reduced):		
7219 31 00	– – Of a thickness of 4,75 mm or more	Free	—
7219 32	– – Of a thickness of 3 mm or more but less than 4,75 mm:		
7219 32 10	– – – Containing by weight 2,5 % or more of nickel	Free	—
7219 32 90	– – – Containing by weight less than 2,5 % of nickel	Free	—
7219 33	– – Of a thickness exceeding 1 mm but less than 3 mm:		
7219 33 10	– – – Containing by weight 2,5 % or more of nickel	Free	—
7219 33 90	– – – Containing by weight less than 2,5 % of nickel	Free	—
7219 34	– – Of a thickness of 0,5 mm or more but not exceeding 1 mm:		
7219 34 10	– – – Containing by weight 2,5 % or more of nickel	Free	—
7219 34 90	– – – Containing by weight less than 2,5 % of nickel	Free	—
7219 35	– – Of a thickness of less than 0,5 mm:		
7219 35 10	– – – Containing by weight 2,5 % or more of nickel	Free	—
7219 35 90	– – – Containing by weight less than 2,5 % of nickel	Free	—
7219 90	– Other:		
7219 90 20	– – Perforated	Free	—
7219 90 80	– – Other	Free	—
7220	Flat-rolled products of stainless steel, of a width of less than 600 mm:		
	– Not further worked than hot-rolled:		
7220 11 00	– – Of a thickness of 4,75 mm or more	Free	—
7220 12 00	– – Of a thickness of less than 4,75 mm	Free	—
7220 20	– Not further worked than cold-rolled (cold-reduced):		
	– – Of a thickness of 3 mm or more, containing by weight:		
7220 20 21	– – – 2,5 % or more of nickel	Free	—
7220 20 29	– – – Less than 2,5 % of nickel	Free	—
	– – Of a thickness exceeding 0,35 mm but of less than 3 mm, containing by weight:		
7220 20 41	– – – 2,5 % or more of nickel	Free	—
7220 20 49	– – – Less than 2,5 % of nickel	Free	—
	– – Of a thickness not exceeding 0,35 mm, containing by weight:		
7220 20 81	– – – 2,5 % or more of nickel	Free	—
7220 20 89	– – – Less than 2,5 % of nickel	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7220 90	– Other:		
7220 90 20	– – Perforated	Free	—
7220 90 80	– – Other	Free	—
7221 00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel:		
7221 00 10	– Containing by weight 2,5 % or more of nickel	Free	—
7221 00 90	– Containing by weight less than 2,5 % of nickel	Free	—
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:		
	– Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:		
7222 11	– – Of circular cross-section:		
	– – – Of a diameter of 80 mm or more, containing by weight:		
7222 11 11	– – – – 2,5 % or more of nickel	Free	—
7222 11 19	– – – – Less than 2,5 % of nickel	Free	—
	– – – Of a diameter of less than 80 mm, containing by weight:		
7222 11 81	– – – – 2,5 % or more of nickel	Free	—
7222 11 89	– – – – Less than 2,5 % of nickel	Free	—
7222 19	– – Other:		
7222 19 10	– – – Containing by weight 2,5 % or more of nickel	Free	—
7222 19 90	– – – Containing by weight less than 2,5 % of nickel	Free	—
7222 20	– Bars and rods, not further worked than cold-formed or cold-finished:		
	– – Of circular cross-section:		
	– – – Of a diameter of 80 mm or more, containing by weight:		
7222 20 11	– – – – 2,5 % or more of nickel	Free	—
7222 20 19	– – – – Less than 2,5 % of nickel	Free	—
	– – – Of a diameter of 25 mm or more, but less than 80 mm, containing by weight:		
7222 20 21	– – – – 2,5 % or more of nickel	Free	—
7222 20 29	– – – – Less than 2,5 % of nickel	Free	—
	– – – Of a diameter of less than 25 mm, containing by weight:		
7222 20 31	– – – – 2,5 % or more of nickel	Free	—
7222 20 39	– – – – Less than 2,5 % of nickel	Free	—
	– – Other, containing by weight:		

▼ M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7222 20 81	— — — 2,5 % or more of nickel	Free	—
7222 20 89	— — — Less than 2,5 % of nickel	Free	—
7222 30	— Other bars and rods:		
	— — Forged, containing by weight:		
7222 30 51	— — — 2,5 % or more of nickel	Free	—
7222 30 91	— — — Less than 2,5 % of nickel	Free	—
7222 30 97	— — Other	Free	—
7222 40	— Angles, shapes and sections:		
7222 40 10	— — Not further worked than hot-rolled, hot-drawn or extruded	Free	—
7222 40 50	— — Not further worked than cold-formed or cold-finished	Free	—
7222 40 90	— — Other	Free	—
7223 00	Wire of stainless steel:		
	— Containing by weight 2,5 % or more of nickel:		
7223 00 11	— — Containing by weight 28 % or more but not more than 31 % of nickel and 20 % or more but not more than 22 % of chromium	Free	—
7223 00 19	— — Other	Free	—
	— Containing by weight less than 2,5 % of nickel:		
7223 00 91	— — Containing by weight 13 % or more but not more than 25 % of chromium and 3,5 % or more but not more than 6 % of aluminium	Free	—
7223 00 99	— — Other	Free	—
	IV. OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL		
7224	Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel:		
7224 10	— Ingots and other primary forms:		
7224 10 10	— — Of tool steel	Free	—
7224 10 90	— — Other	Free	—
7224 90	— Other:		
7224 90 02	— — Of tool steel	Free	—
	— — Other:		
	— — — Of rectangular (including square) cross-section:		
	— — — — Hot-rolled or obtained by continuous casting:		
	— — — — — The width measuring less than twice the thickness:		
7224 90 03	— — — — — Of high-speed steel	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7224 90 05	— — — — — Containing by weight not more than 0,7 % of carbon, 0,5 % or more but not more than 1,2 % of manganese and 0,6 % or more but not more than 2,3 % of silicon; containing by weight 0,0008 % or more of boron with any other element less than the minimum content referred to in note 1(f) to this chapter	Free	—
7224 90 07	— — — — — Other	Free	—
7224 90 14	— — — — — Other	Free	—
7224 90 18	— — — — Forged	Free	—
	— — — — Other:		
	— — — — Hot-rolled or obtained by continuous casting:		
7224 90 31	— — — — — Containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum	Free	—
7224 90 38	— — — — — Other	Free	—
7224 90 90	— — — — Forged	Free	—
7225	Flat-rolled products of other alloy steel, of a width of 600 mm or more:		
	— Of silicon-electrical steel:		
7225 11 00	— — Grain-oriented	Free	—
7225 19	— — Other:		
7225 19 10	— — — Hot-rolled	Free	—
7225 19 90	— — — Cold-rolled	Free	—
7225 30	— Other, not further worked than hot-rolled, in coils:		
7225 30 10	— — Of tool steel	Free	—
7225 30 30	— — Of high-speed steel	Free	—
7225 30 90	— — Other	Free	—
7225 40	— Other, not further worked than hot-rolled, not in coils:		
7225 40 12	— — Of tool steel	Free	—
7225 40 15	— — Of high-speed steel	Free	—
	— — Other:		
7225 40 40	— — — Of a thickness exceeding 10 mm	Free	—
7225 40 60	— — — Of a thickness of 4,75 mm or more but not exceeding 10 mm	Free	—
7225 40 90	— — — Of a thickness of less than 4,75 mm	Free	—
7225 50	— Other, not further worked than cold-rolled (cold-reduced):		
7225 50 20	— — Of high-speed steel	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7225 50 80	-- Other	Free	—
	Other:		
7225 91 00	-- Electrolytically plated or coated with zinc	Free	—
7225 92 00	-- Otherwise plated or coated with zinc	Free	—
7225 99 00	-- Other	Free	—
7226	Flat-rolled products of other alloy steel, of a width of less than 600 mm:		
	Of silicon-electrical steel:		
7226 11 00	-- Grain-oriented	Free	—
7226 19	-- Other:		
7226 19 10	-- -- Not further worked than hot-rolled	Free	—
7226 19 80	-- -- Other	Free	—
7226 20 00	-- Of high-speed steel	Free	—
	Other:		
7226 91	-- Not further worked than hot-rolled:		
7226 91 20	-- -- Of tool steel	Free	—
	-- -- Other:		
7226 91 91	-- -- -- Of a thickness of 4,75 mm or more	Free	—
7226 91 99	-- -- -- Of a thickness of less than 4,75 mm	Free	—
7226 92 00	-- Not further worked than cold-rolled (cold-reduced)	Free	—
7226 99	-- Other:		
7226 99 10	-- -- Electrolytically plated or coated with zinc	Free	—
7226 99 30	-- -- Otherwise plated or coated with zinc	Free	—
7226 99 70	-- -- Other	Free	—
7227	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel:		
7227 10 00	-- Of high-speed steel	Free	—
7227 20 00	-- Of silico-manganese steel	Free	—
7227 90	-- Other:		
7227 90 10	-- -- Containing by weight 0,0008 % or more of boron with any other element less than the minimum content referred to in note 1(f) to this chapter	Free	—
7227 90 50	-- -- Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum	Free	—
7227 90 95	-- -- Other	Free	—
7228	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7228 10	– Bars and rods, of high-speed steel:		
7228 10 20	– – Not further worked than hot-rolled, hot-drawn or extruded; hot-rolled, hot-drawn or extruded, not further worked than clad	Free	—
7228 10 50	– – Forged	Free	—
7228 10 90	– – Other	Free	—
7228 20	– Bars and rods, of silico-manganese steel:		
7228 20 10	– – Of rectangular (other than square) cross-section, hot-rolled on four faces	Free	—
	– – Other:		
7228 20 91	– – – Not further worked than hot-rolled, hot-drawn or extruded; hot-rolled, hot-drawn or extruded, not further worked than clad	Free	—
7228 20 99	– – – Other	Free	—
7228 30	– Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded:		
7228 30 20	– – Of tool steel	Free	—
	– – Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum:		
7228 30 41	– – – Of circular cross-section of a diameter of 80 mm or more	Free	—
7228 30 49	– – – Other	Free	—
	– – Other:		
	– – – Of circular cross-section, of a diameter of:		
7228 30 61	– – – – 80 mm or more	Free	—
7228 30 69	– – – – Less than 80 mm	Free	—
7228 30 70	– – – Of rectangular (other than square) cross-section, hot-rolled on four faces	Free	—
7228 30 89	– – – Other	Free	—
7228 40	– Other bars and rods, not further worked than forged:		
7228 40 10	– – Of tool steel	Free	—
7228 40 90	– – Other	Free	—
7228 50	– Other bars and rods, not further worked than cold-formed or cold-finished:		
7228 50 20	– – Of tool steel	Free	—
7228 50 40	– – Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum	Free	—
	– – Other:		
	– – – Of circular cross-section, of a diameter of:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7228 50 61	— — — — 80 mm or more	Free	—
7228 50 69	— — — — Less than 80 mm	Free	—
7228 50 80	— — — Other	Free	—
7228 60	— Other bars and rods:		
7228 60 20	— — Of tool steel	Free	—
7228 60 80	— — Other	Free	—
7228 70	— Angles, shapes and sections:		
7228 70 10	— — Not further worked than hot-rolled, hot-drawn or extruded	Free	—
7228 70 90	— — Other	Free	—
7228 80 00	— Hollow drill bars and rods	Free	—
7229	Wire of other alloy steel:		
7229 20 00	— Of silico-manganese steel	Free	—
7229 90	— Other:		
7229 90 20	— — Of high-speed steel	Free	—
7229 90 50	— — Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum	Free	—
7229 90 90	— — Other	Free	—

▼M216

CHAPTER 73

ARTICLES OF IRON OR STEEL

Notes

1. In this chapter, the expression 'cast iron' applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in note 1(d) to Chapter 72.
2. In this chapter, the word 'wire' means hot- or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel:		
7301 10 00	– Sheet piling	Free	—
7301 20 00	– Angles, shapes and sections	Free	—
7302	Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialised for jointing or fixing rails:		
7302 10	– Rails:		
7302 10 10	– – Current-conducting, with parts of non-ferrous metal	Free	—
	– – Other:		
	– – – New:		
	– – – – Vignole rails:		
7302 10 22	– – – – Of a weight per metre of 36 kg or more	Free	—
7302 10 28	– – – – Of a weight per metre of less than 36 kg	Free	—
7302 10 40	– – – – Grooved rails	Free	—
7302 10 50	– – – – Other	Free	—
7302 10 90	– – – Used	Free	—
7302 30 00	– Switch blades, crossing frogs, point rods and other crossing pieces	2,7	—
7302 40 00	– Fish-plates and sole plates	Free	—
7302 90 00	– Other	Free	—
7303 00	Tubes, pipes and hollow profiles, of cast iron:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7303 00 10	– Tubes and pipes of a kind used in pressure systems	3,2	—
7303 00 90	– Other	3,2	—
7304	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel:		
	– Line pipe of a kind used for oil or gas pipelines:		
7304 11 00	– – Of stainless steel	Free	—
7304 19	– – Other:		
7304 19 10	– – – Of an external diameter not exceeding 168,3 mm	Free	—
7304 19 30	– – – Of an external diameter exceeding 168,3 mm but not exceeding 406,4 mm	Free	—
7304 19 90	– – – Of an external diameter exceeding 406,4 mm	Free	—
	– Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:		
7304 22 00	– – Drill pipe of stainless steel	Free	—
7304 23 00	– – Other drill pipe	Free	—
7304 24 00	– – Other, of stainless steel	Free	—
7304 29	– – Other:		
7304 29 10	– – – Of an external diameter not exceeding 168,3 mm	Free	—
7304 29 30	– – – Of an external diameter exceeding 168,3 mm but not exceeding 406,4 mm	Free	—
7304 29 90	– – – Of an external diameter exceeding 406,4 mm	Free	—
	– Other, of circular cross-section, of iron or non-alloy steel:		
7304 31	– – Cold-drawn or cold-rolled (cold-reduced):		
7304 31 20	– – – Precision tubes	Free	—
7304 31 80	– – – Other	Free	—
7304 39	– – Other:		
7304 39 10	– – – Unworked, straight and of uniform wall thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall thicknesses	Free	—
	– – – Other:		
	– – – – Threaded or threadable tubes (gas pipe):		
7304 39 52	– – – – Plated or coated with zinc	Free	—
7304 39 58	– – – – Other	Free	—
	– – – – Other, of an external diameter:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7304 39 92	— — — — Not exceeding 168,3 mm	Free	—
7304 39 93	— — — — Exceeding 168,3 mm but not exceeding 406,4 mm	Free	—
7304 39 98	— — — — Exceeding 406,4 mm	Free	—
	— Other, of circular cross-section, of stainless steel:		
7304 41 00	— — Cold-drawn or cold-rolled (cold-reduced)	Free	—
7304 49	— — Other:		
7304 49 10	— — — Unworked, straight and of uniform wall thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall thicknesses	Free	—
	— — — Other:		
7304 49 93	— — — — Of an external diameter not exceeding 168,3 mm	Free	—
7304 49 95	— — — — Of an external diameter exceeding 168,3 mm but not exceeding 406,4 mm	Free	—
7304 49 99	— — — — Of an external diameter exceeding 406,4 mm	Free	—
	— Other, of circular cross-section, of other alloy steel:		
7304 51	— — Cold-drawn or cold-rolled (cold-reduced):		
	— — — Straight and of uniform wall thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum, of a length:		
7304 51 12	— — — — Not exceeding 0,5 m	Free	—
7304 51 18	— — — — Exceeding 0,5 m	Free	—
	— — — Other:		
7304 51 81	— — — — Precision tubes	Free	—
7304 51 89	— — — — Other	Free	—
7304 59	— — Other:		
7304 59 10	— — — Unworked, straight and of uniform wall thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses	Free	—
	— — — Other, straight and of uniform wall thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum, of a length:		
7304 59 32	— — — — Not exceeding 0,5 m	Free	—
7304 59 38	— — — — Exceeding 0,5 m	Free	—
	— — — Other:		
7304 59 92	— — — — Of an external diameter not exceeding 168,3 mm	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7304 59 93	— — — — Of an external diameter exceeding 168,3 mm but not exceeding 406,4 mm	Free	—
7304 59 99	— — — — Of an external diameter exceeding 406,4 mm	Free	—
7304 90 00	— Other	Free	—
7305	Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406,4 mm, of iron or steel:		
	— Line pipe of a kind used for oil or gas pipelines:		
7305 11 00	— — Longitudinally submerged arc welded	Free	—
7305 12 00	— — Other, longitudinally welded	Free	—
7305 19 00	— — Other	Free	—
7305 20 00	— Casing of a kind used in drilling for oil or gas	Free	—
	— Other, welded:		
7305 31 00	— — Longitudinally welded	Free	—
7305 39 00	— — Other	Free	—
7305 90 00	— Other	Free	—
7306	Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:		
	— Line pipe of a kind used for oil or gas pipelines:		
7306 11	— — Welded, of stainless steel:		
7306 11 10	— — — Longitudinally welded	Free	—
7306 11 90	— — — Spirally welded	Free	—
7306 19	— — Other:		
7306 19 10	— — — Longitudinally welded	Free	—
7306 19 90	— — — Spirally welded	Free	—
	— Casing and tubing of a kind used in drilling for oil or gas:		
7306 21 00	— — Welded, of stainless steel	Free	—
7306 29 00	— — Other	Free	—
7306 30	— Other, welded, of circular cross-section, of iron or non-alloy steel:		
	— — Precision tubes, with a wall thickness:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7306 30 11	— — — Not exceeding 2 mm	Free	—
7306 30 19	— — — Exceeding 2 mm	Free	—
	— — Other:		
	— — — Threaded or threadable tubes (gas pipe):		
7306 30 41	— — — — Plated or coated with zinc	Free	—
7306 30 49	— — — — Other	Free	—
	— — — Other, of an external diameter:		
	— — — — Not exceeding 168,3 mm:		
7306 30 72	— — — — — Plated or coated with zinc	Free	—
7306 30 77	— — — — — Other	Free	—
7306 30 80	— — — — Exceeding 168,3 mm but not exceeding 406,4 mm	Free	—
7306 40	— Other, welded, of circular cross-section, of stainless steel:		
7306 40 20	— — Cold-drawn or cold-rolled (cold-reduced)	Free	—
7306 40 80	— — Other	Free	—
7306 50	— Other, welded, of circular cross-section, of other alloy steel:		
7306 50 20	— — Precision tubes	Free	—
7306 50 80	— — Other	Free	—
	— Other, welded, of non-circular cross-section:		
7306 61	— — Of square or rectangular cross-section:		
7306 61 10	— — — Of stainless steel	Free	—
	— — — Other:		
7306 61 92	— — — — With a wall thickness not exceeding 2 mm	Free	—
7306 61 99	— — — — With a wall thickness exceeding 2 mm	Free	—
7306 69	— — Of other non-circular cross-section:		
7306 69 10	— — — Of stainless steel	Free	—
7306 69 90	— — — Other	Free	—
7306 90 00	— Other	Free	—
7307	Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel:		
	— Cast fittings:		
7307 11	— — Of non-malleable cast iron:		
7307 11 10	— — — Of a kind used in pressure systems	3,7	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7307 11 90	— — — Other	3,7	—
7307 19	— — Other:		
7307 19 10	— — — Of malleable cast iron	3,7	—
7307 19 90	— — — Other	3,7	—
	— Other, of stainless steel:		
7307 21 00	— — Flanges	3,7	—
7307 22	— — Threaded elbows, bends and sleeves:		
7307 22 10	— — — Sleeves	Free	—
7307 22 90	— — — Elbows and bends	3,7	—
7307 23	— — Butt welding fittings:		
7307 23 10	— — — Elbows and bends	3,7	—
7307 23 90	— — — Other	3,7	—
7307 29	— — Other:		
7307 29 10	— — — Threaded	3,7	—
7307 29 80	— — — Other	3,7	—
	— Other:		
7307 91 00	— — Flanges	3,7	—
7307 92	— — Threaded elbows, bends and sleeves:		
7307 92 10	— — — Sleeves	Free	—
7307 92 90	— — — Elbows and bends	3,7	—
7307 93	— — Butt welding fittings:		
	— — — With greatest external diameter not exceeding 609,6 mm:		
7307 93 11	— — — — Elbows and bends	3,7	—
7307 93 19	— — — — Other	3,7	—
	— — — With greatest external diameter exceeding 609,6 mm:		
7307 93 91	— — — — Elbows and bends	3,7	—
7307 93 99	— — — — Other	3,7	—
7307 99	— — Other:		
7307 99 10	— — — Threaded	3,7	—
7307 99 80	— — — Other	3,7	—
7308	Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns), of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7308 10 00	– Bridges and bridge-sections	Free	—
7308 20 00	– Towers and lattice masts	Free	—
7308 30 00	– Doors, windows and their frames and thresholds for doors	Free	p/st ⁽¹⁾
7308 40 00	– Equipment for scaffolding, shuttering, propping or pit-propping	Free	—
7308 90	– Other:		
	– – Solely or principally of sheet:		
7308 90 51	– – – Panels comprising two walls of profiled (ribbed) sheet with an insulating core	Free	—
7308 90 59	– – – Other	Free	—
7308 90 98	– – Other	Free	—
7309 00	Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment:		
7309 00 10	– For gases (other than compressed or liquefied gas)	2,2	—
	– For liquids:		
7309 00 30	– – Lined or heat-insulated	2,2	—
	– – Other, of a capacity:		
7309 00 51	– – – Exceeding 100 000 l	2,2	—
7309 00 59	– – – Not exceeding 100 000 l	2,2	—
7309 00 90	– For solids	2,2	—
7310	Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment:		
7310 10 00	– Of a capacity of 50 l or more	2,7	—
	– Of a capacity of less than 50 l:		
7310 21	– – Cans which are to be closed by soldering or crimping:		
7310 21 11	– – – Cans of a kind used for preserving food	2,7	—
7310 21 19	– – – Cans of a kind used for preserving drink	2,7	—
	– – – Other, with a wall thickness of:		
7310 21 91	– – – – Less than 0,5 mm	2,7	—
7310 21 99	– – – – 0,5 mm or more	2,7	—

⁽¹⁾ A door or window with or without its frame or threshold is considered as one piece.

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7310 29	— — Other:		
7310 29 10	— — — With a wall thickness of less than 0,5 mm	2,7	—
7310 29 90	— — — With a wall thickness of 0,5 mm or more	2,7	—
7311 00	Containers for compressed or liquefied gas, of iron or steel:		
	— Seamless:		
	— — For a pressure of 165 bar or more, of a capacity of:		
7311 00 11	— — — Less than 20 l	2,7	p/st
7311 00 13	— — — 20 l or more but not more than 50 l	2,7	p/st
7311 00 19	— — — More than 50 l	2,7	p/st
7311 00 30	— — Other	2,7	p/st
	— Other, of a capacity of:		
7311 00 91	— — Less than 1 000 l	2,7	—
7311 00 99	— — 1 000 l or more	2,7	—
7312	Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated:		
7312 10	— Stranded wire, ropes and cables:		
7312 10 20	— — Of stainless steel	Free	—
	— — Other, with a maximum cross-sectional dimension:		
	— — — Not exceeding 3 mm:		
7312 10 41	— — — — Plated or coated with copper-zinc alloys (brass)	Free	—
7312 10 49	— — — — Other	Free	—
	— — — Exceeding 3 mm:		
	— — — — Stranded wire:		
7312 10 61	— — — — — Not coated	Free	—
	— — — — — Coated:		
7312 10 65	— — — — — Plated or coated with zinc	Free	—
7312 10 69	— — — — — Other	Free	—
	— — — — Ropes and cables (including locked coil ropes):		
	— — — — — Not coated or only plated or coated with zinc, with a maximum cross-sectional dimension:		
7312 10 81	— — — — — Exceeding 3 mm but not exceeding 12 mm	Free	—
7312 10 83	— — — — — Exceeding 12 mm but not exceeding 24 mm	Free	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7312 10 85	— — — — — Exceeding 24 mm but not exceeding 48 mm	Free	—
7312 10 89	— — — — — Exceeding 48 mm	Free	—
7312 10 98	— — — — — Other	Free	—
7312 90 00	— Other	Free	—
7313 00 00	Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel	Free	—
7314	Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel:		
	— Woven cloth:		
7314 12 00	— — Endless bands for machinery, of stainless steel	Free	—
7314 14 00	— — Other woven cloth, of stainless steel	Free	—
7314 19 00	— — Other	Free	—
7314 20	— Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and having a mesh size of 100 cm² or more:		
7314 20 10	— — Of ribbed wire	Free	—
7314 20 90	— — Other	Free	—
	— Other grill, netting and fencing, welded at the intersection:		
7314 31 00	— — Plated or coated with zinc	Free	—
7314 39 00	— — Other	Free	—
	— Other cloth, grill, netting and fencing:		
7314 41 00	— — Plated or coated with zinc	Free	—
7314 42 00	— — Coated with plastics	Free	—
7314 49 00	— — Other	Free	—
7314 50 00	— Expanded metal	Free	—
7315	Chain and parts thereof, of iron or steel:		
	— Articulated link chain and parts thereof:		
7315 11	— — Roller chain:		
7315 11 10	— — — Of a kind used for cycles and motorcycles	2,7	—
7315 11 90	— — — Other	2,7	—
7315 12 00	— — Other chain	2,7	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7315 19 00	-- Parts	2,7	—
7315 20 00	-- Skid chain	2,7	—
	-- Other chain:		
7315 81 00	-- Stud-link	2,7	—
7315 82 00	-- Other, welded link	2,7	—
7315 89 00	-- Other	2,7	—
7315 90 00	-- Other parts	2,7	—
7316 00 00	Anchors, grapnels and parts thereof, of iron or steel	2,7	—
7317 00	Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper:		
	-- Cold-pressed from wire:		
7317 00 20	-- Nails in strips or coils	Free	—
7317 00 60	-- Other	Free	—
7317 00 80	-- Other	Free	—
7318	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel:		
	-- Threaded articles:		
7318 11 00	-- Coach screws	3,7	—
7318 12	-- Other wood screws:		
7318 12 10	-- -- Of stainless steel	3,7	—
7318 12 90	-- -- Other	3,7	—
7318 13 00	-- Screw hooks and screw rings	3,7	—
7318 14	-- Self-tapping screws:		
7318 14 10	-- -- Of stainless steel	3,7	—
	-- -- Other:		
7318 14 91	-- -- -- Spaced-thread screws	3,7	—
7318 14 99	-- -- -- Other	3,7	—
7318 15	-- Other screws and bolts, whether or not with their nuts or washers:		
7318 15 20	-- -- For fixing railway track construction material	3,7	—
	-- -- Other:		
	-- -- -- Without heads:		

▼ **M216**

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7318 15 35	----- Of stainless steel	3,7	—
	----- Other, with a tensile strength:		
7318 15 42	----- Of less than 800 MPa	3,7	—
7318 15 48	----- Of 800 MPa or more	3,7	—
	----- With heads:		
	----- Slotted or cross-recessed heads:		
7318 15 52	----- Of stainless steel	3,7	—
7318 15 58	----- Other	3,7	—
	----- Hexagonal-socket heads:		
7318 15 62	----- Of stainless steel	3,7	—
7318 15 68	----- Other	3,7	—
	----- Hexagonal heads:		
7318 15 75	----- Of stainless steel	3,7	—
	----- Other, with a tensile strength:		
7318 15 82	----- Of less than 800 MPa	3,7	—
7318 15 88	----- Of 800 MPa or more	3,7	—
7318 15 95	----- Other	3,7	—
7318 16	— — Nuts:		
	----- Of stainless steel:		
7318 16 31	----- Blind rivet nuts	3,7	—
7318 16 39	----- Other	3,7	—
	----- Other:		
7318 16 40	----- Blind rivet nuts	3,7	—
7318 16 60	----- Self-locking nuts	3,7	—
	----- Other, with an inside diameter:		
7318 16 92	----- Not exceeding 12 mm	3,7	—
7318 16 99	----- Exceeding 12 mm	3,7	—
7318 19 00	— — Other	3,7	—
	— Non-threaded articles:		
7318 21 00	— — Spring washers and other lock washers	3,7	—
7318 22 00	— — Other washers	3,7	—
7318 23 00	— — Rivets	3,7	—
7318 24 00	— — Cotters and cotter pins	3,7	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7318 29 00	– – Other	3,7	—
7319	Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stiletos and similar articles, for use in the hand, of iron or steel; safety pins and other pins of iron or steel, not elsewhere specified or included:		
7319 40 00	– Safety pins and other pins	2,7	—
7319 90	– Other:		
7319 90 10	– – Sewing, darning or embroidery needles	2,7	—
7319 90 90	– – Other	2,7	—
7320	Springs and leaves for springs, of iron or steel:		
7320 10	– Leaf-springs and leaves therefor:		
	– – Hot-worked:		
7320 10 11	– – – Laminated springs and leaves therefor	2,7	—
7320 10 19	– – – Other	2,7	—
7320 10 90	– – Other	2,7	—
7320 20	– Helical springs:		
7320 20 20	– – Hot-worked	2,7	—
	– – Other:		
7320 20 81	– – – Coil compression springs	2,7	—
7320 20 85	– – – Coil tension springs	2,7	—
7320 20 89	– – – Other	2,7	—
7320 90	– Other:		
7320 90 10	– – Flat spiral springs	2,7	—
7320 90 30	– – Discs springs	2,7	—
7320 90 90	– – Other	2,7	—
7321	Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar non-electric domestic appliances, and parts thereof, of iron or steel:		
	– Cooking appliances and plate warmers:		
7321 11	– – For gas fuel or for both gas and other fuels:		
7321 11 10	– – – With oven, including separate ovens	2,7	p/st
7321 11 90	– – – Other	2,7	p/st
7321 12 00	– – For liquid fuel	2,7	p/st
7321 19 00	– – Other, including appliances for solid fuel	2,7	p/st

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	– Other appliances:		
7321 81 00	– – For gas fuel or for both gas and other fuels	2,7	p/st
7321 82 00	– – For liquid fuel	2,7	p/st
7321 89 00	– – Other, including appliances for solid fuel	2,7	p/st
7321 90 00	– Parts	2,7	—
7322	Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot-air distributors (including distributors which can also distribute fresh or conditioned air), not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel:		
	– Radiators and parts thereof:		
7322 11 00	– – Of cast iron	3,2	—
7322 19 00	– – Other	3,2	—
7322 90 00	– Other	3,2	—
7323	Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel:		
7323 10 00	– Iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like	3,2	—
	– Other:		
7323 91 00	– – Of cast iron, not enamelled	3,2	—
7323 92 00	– – Of cast iron, enamelled	3,2	—
7323 93 00	– – Of stainless steel	3,2	—
7323 94 00	– – Of iron (other than cast iron) or steel, enamelled	3,2	—
7323 99 00	– – Other	3,2	—
7324	Sanitary ware and parts thereof, of iron or steel:		
7324 10 00	– Sinks and washbasins, of stainless steel	2,7	—
	– Baths:		
7324 21 00	– – Of cast iron, whether or not enamelled	3,2	p/st
7324 29 00	– – Other	3,2	p/st
7324 90 00	– Other, including parts	3,2	—
7325	Other cast articles of iron or steel:		
7325 10 00	– Of non-malleable cast iron	1,7	—

▼ **M216**

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
	– Other:		
7325 91 00	– – Grinding balls and similar articles for mills	2,7	—
7325 99	– – Other:		
7325 99 10	– – – Of malleable cast iron	2,7	—
7325 99 90	– – – Other	2,7	—
7326	Other articles of iron or steel:		
	– Forged or stamped, but not further worked:		
7326 11 00	– – Grinding balls and similar articles for mills	2,7	—
7326 19	– – Other:		
7326 19 10	– – – Open-die forged	2,7	—
7326 19 90	– – – Other	2,7	—
7326 20 00	– Articles of iron or steel wire	2,7	—
7326 90	– Other:		
7326 90 30	– – Ladders and steps	2,7	—
7326 90 40	– – Pallets and similar platforms for handling goods	2,7	—
7326 90 50	– – Reels for cables, piping and the like	2,7	—
7326 90 60	– – Non-mechanical ventilators, guttering, hooks and like articles used in the building industry	2,7	—
	– – Other articles of iron or steel:		
7326 90 92	– – – Open-die forged	2,7	—
7326 90 94	– – – Closed-die forged	2,7	—
7326 90 96	– – – Sintered	2,7	—
7326 90 98	– – – Other	2,7	—

▼ **M216**

CHAPTER 74

COPPER AND ARTICLES THEREOF**Note**

1. In this chapter, the following expressions have the meanings hereby assigned to them:

(a) Refined copper:

Metal containing at least 99,85 % by weight of copper; or

Metal containing at least 97,5 % by weight of copper, provided that the content by weight of any other element does not exceed the limit specified in the following table:

Other elements

Element	Limiting content % by weight
Ag Silver	0,25
As Arsenic	0,5
Cd Cadmium	1,3
Cr Chromium	1,4
Mg Magnesium	0,8
Pb Lead	1,5
S Sulphur	0,7
Sn Tin	0,8
Te Tellurium	0,8
Zn Zinc	1
Zr Zirconium	0,3
Other elements ⁽¹⁾ , each	0,3

⁽¹⁾ Other elements are, for example, Al, Be, Co, Fe, Mn, Ni, Si.

(b) Copper alloys:

Metallic substances other than unrefined copper in which copper predominates by weight over each of the other elements, provided that:

- (1) the content by weight of at least one of the other elements is greater than the limit specified in the foregoing table; or
- (2) the total content by weight of such other elements exceeds 2,5 %.

(c) Master alloys:

Alloys containing with other elements more than 10 % by weight of copper, not usefully malleable and commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in the metallurgy of non-ferrous metals. However, copper phosphide (phosphor copper) containing more than 15 % by weight of phosphorus falls in heading 2853.

(d) Bars and rods:

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including 'flattened circles' and 'modified rectangles', of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section

▼M216

may have corners rounded along their whole length. The thickness of such products which have a rectangular (including 'modified rectangular') cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

Wire-bars and billets with their ends tapered or otherwise worked simply to facilitate their entry into machines for converting them into, for example, drawing stock (wire-rod) or tubes, are however to be taken to be unwrought copper of heading 7403.

(e) Profiles:

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

(f) Wire:

Rolled, extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including 'flattened circles' and 'modified rectangles', of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including 'modified rectangular') cross-section exceeds one-tenth of the width.

(g) Plates, sheets, strip and foil:

Flat-surfaced products (other than the unwrought products of heading 7403), coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including 'modified rectangles' of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings 7409 and 7410 apply, inter alia, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, chequers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

▼M216

(h) Tubes and pipes:

Hollow products, coiled or not, which have a uniform cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross-section, which may have corners rounded along their whole length, are also to be taken to be tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

Subheading note

1. In this chapter, the following expressions have the meanings hereby assigned to them:

(a) Copper-zinc base alloys (brasses):

Alloys of copper and zinc, with or without other elements. When other elements are present:

- zinc predominates by weight over each of such other elements,
- any nickel content by weight is less than 5 % (see copper-nickel-zinc alloys (nickel silvers)), and
- any tin content by weight is less than 3 % (see copper-tin alloys (bronzes)).

(b) Copper-tin base alloys (bronzes):

Alloys of copper and tin, with or without other elements. When other elements are present, tin predominates by weight over each of such other elements, except that when the tin content is 3 % or more the zinc content by weight may exceed that of tin but must be less than 10 %.

(c) Copper-nickel-zinc base alloys (nickel silvers):

Alloys of copper, nickel and zinc, with or without other elements. The nickel content is 5 % or more by weight (see copper-zinc alloys (brasses)).

(d) Copper-nickel base alloys:

Alloys of copper and nickel, with or without other elements but in any case containing by weight not more than 1 % of zinc. When other elements are present, nickel predominates by weight over each of such other elements.

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7401 00 00	Copper mattes; cement copper (precipitated copper)	Free	—
7402 00 00	Unrefined copper; copper anodes for electrolytic refining	Free	—
7403	Refined copper and copper alloys, unwrought:		
	– Refined copper:		

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7403 11 00	– – Cathodes and sections of cathodes	Free	—
7403 12 00	– – Wire-bars	Free	—
7403 13 00	– – Billets	Free	—
7403 19 00	– – Other	Free	—
	– Copper alloys:		
7403 21 00	– – Copper-zinc base alloys (brass)	Free	—
7403 22 00	– – Copper-tin base alloys (bronze)	Free	—
7403 29 00	– – Other copper alloys (other than master alloys of heading 7405)	Free	—
7404 00	Copper waste and scrap:		
7404 00 10	– Of refined copper	Free	—
	– Of copper alloys:		
7404 00 91	– – Of copper-zinc base alloys (brass)	Free	—
7404 00 99	– – Other	Free	—
7405 00 00	Master alloys of copper	Free	—
7406	Copper powders and flakes:		
7406 10 00	– Powders of non-lamellar structure	Free	—
7406 20 00	– Powders of lamellar structure; flakes	Free	—
7407	Copper bars, rods and profiles:		
7407 10 00	– Of refined copper	4,8	—
	– Of copper alloys:		
7407 21	– – Of copper-zinc base alloys (brass):		
7407 21 10	– – – Bars and rods	4,8	—
7407 21 90	– – – Profiles	4,8	—
7407 29 00	– – Other	4,8	—
7408	Copper wire:		
	– Of refined copper:		
7408 11 00	– – Of which the maximum cross-sectional dimension exceeds 6 mm	4,8	—
7408 19	– – Other:		
7408 19 10	– – – Of which the maximum cross-sectional dimension exceeds 0,5 mm	4,8	—
7408 19 90	– – – Of which the maximum cross-sectional dimension does not exceed 0,5 mm	4,8	—
	– Of copper alloys:		
7408 21 00	– – Of copper-zinc base alloys (brass)	4,8	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7408 22 00	-- Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	4,8	—
7408 29 00	-- Other	4,8	—
7409	Copper plates, sheets and strip, of a thickness exceeding 0,15 mm:		
	-- Of refined copper:		
7409 11 00	-- In coils	4,8	—
7409 19 00	-- Other	4,8	—
	-- Of copper-zinc base alloys (brass):		
7409 21 00	-- In coils	4,8	—
7409 29 00	-- Other	4,8	—
	-- Of copper-tin base alloys (bronze):		
7409 31 00	-- In coils	4,8	—
7409 39 00	-- Other	4,8	—
7409 40 00	-- Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	4,8	—
7409 90 00	-- Of other copper alloys	4,8	—
7410	Copper foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,15 mm:		
	-- Not backed:		
7410 11 00	-- Of refined copper	5,2	—
7410 12 00	-- Of copper alloys	5,2	—
	-- Backed:		
7410 21 00	-- Of refined copper	5,2	—
7410 22 00	-- Of copper alloys	5,2	—
7411	Copper tubes and pipes:		
	-- Of refined copper:		
7411 10 10	-- Straight	4,8	—
7411 10 90	-- Other	4,8	—
	-- Of copper alloys:		
	-- Of copper-zinc base alloys (brass):		
7411 21 10	-- -- Straight	4,8	—
7411 21 90	-- -- Other	4,8	—
7411 22 00	-- Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	4,8	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7411 29 00	– – Other	4,8	—
7412	Copper tube or pipe fittings (for example, couplings, elbows, sleeves):		
7412 10 00	– Of refined copper	5,2	—
7412 20 00	– Of copper alloys	5,2	—
7413 00 00	Stranded wire, cables, plaited bands and the like, of copper, not electrically insulated	5,2	—
[7414]			
7415	Nails, tacks, drawing pins, staples (other than those of heading 8305) and similar articles, of copper or of iron or steel with heads of copper; screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of copper:		
7415 10 00	– Nails and tacks, drawing pins, staples and similar articles	4	—
	– Other articles, not threaded:		
7415 21 00	– – Washers (including spring washers)	3	—
7415 29 00	– – Other	3	—
	– Other threaded articles:		
7415 33 00	– – Screws; bolts and nuts	3	—
7415 39 00	– – Other	3	—
[7416]			
[7417]			
7418	Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or polishing pads, gloves and the like, of copper; sanitary ware and parts thereof, of copper:		
7418 10	– Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like:		
7418 10 10	– – Cooking or heating apparatus of a kind used for domestic purposes, non-electric, and parts thereof	4	—
7418 10 90	– – Other	3	—
7418 20 00	– Sanitary ware and parts thereof	3	—
7419	Other articles of copper:		
7419 10 00	– Chain and parts thereof	3	—
	– Other:		

▼ **M216**

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7419 91 00	-- Cast, moulded, stamped or forged, but not further worked	3	—
7419 99	-- Other:		
7419 99 10	-- -- Cloth (including endless bands), grill and netting, of wire of which no cross-sectional dimension exceeds 6 mm; expanded metal	4,3	—
7419 99 30	-- -- Springs	4	—
7419 99 90	-- -- Other	3	—

▼ **M216***CHAPTER 75***NICKEL AND ARTICLES THEREOF****Note**

1. In this chapter, the following expressions have the meanings hereby assigned to them:

(a) Bars and rods:

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including 'flattened circles' and 'modified rectangles', of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including 'modified rectangular') cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(b) Profiles:

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(c) Wire:

Rolled, extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including 'flattened circles' and 'modified rectangles', of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including 'modified rectangular') cross-section exceeds one-tenth of the width.

(d) Plates, sheets, strip and foil:

Flat-surfaced products (other than the unwrought products of heading 7502), coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including 'modified rectangles' of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

▼M216

Heading 7506 applies, inter alia, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, chequers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(e) Tubes and pipes:

Hollow products, coiled or not, which have a uniform cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular, or regular convex polygonal cross-section, which may have corners rounded along their whole length, are also to be considered as tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

Subheading notes

1. In this chapter, the following expressions have the meanings hereby assigned to them:

(a) Nickel, not alloyed:

Metal containing by weight at least 99 % of nickel plus cobalt, provided that:

- (1) the cobalt content by weight does not exceed 1,5 %, and
- (2) the content by weight of any other element does not exceed the limit specified in the following table:

Other elements

Element	Limiting content % by weight
Fe Iron	0,5
O Oxygen	0,4
Other elements, each	0,3

(b) Nickel alloys:

Metallic substances in which nickel predominates by weight over each of the other elements provided that:

- (1) the content by weight of cobalt exceeds 1,5 %,
- (2) the content by weight of at least one of the other elements is greater than the limit specified in the foregoing table, or
- (3) the total content by weight of elements other than nickel plus cobalt exceeds 1 %.

2. Notwithstanding the provisions of chapter note 1(c), for the purposes of subheading 7508 10 the term 'wire' applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7501	Nickel mattes, nickel oxide sinters and other intermediate products of nickel metallurgy:		
7501 10 00	– Nickel mattes	Free	—
7501 20 00	– Nickel oxide sinters and other intermediate products of nickel metallurgy	Free	—
7502	Unwrought nickel:		
7502 10 00	– Nickel, not alloyed	Free	—
7502 20 00	– Nickel alloys	Free	—
7503 00	Nickel waste and scrap:		
7503 00 10	– Of nickel, not alloyed	Free	—
7503 00 90	– Of nickel alloys	Free	—
7504 00 00	Nickel powders and flakes	Free	—
7505	Nickel bars, rods, profiles and wire:		
	– Bars, rods and profiles:		
7505 11 00	– – Of nickel, not alloyed	Free	—
7505 12 00	– – Of nickel alloys	2,9	—
	– Wire:		
7505 21 00	– – Of nickel, not alloyed	Free	—
7505 22 00	– – Of nickel alloys	2,9	—
7506	Nickel plates, sheets, strip and foil:		
7506 10 00	– Of nickel, not alloyed	Free	—
7506 20 00	– Of nickel alloys	3,3	—
7507	Nickel tubes, pipes and tube or pipe fittings (for example, couplings, elbows, sleeves):		
	– Tubes and pipes:		
7507 11 00	– – Of nickel, not alloyed	Free	—
7507 12 00	– – Of nickel alloys	Free	—
7507 20 00	– Tube or pipe fittings	2,5	—
7508	Other articles of nickel:		
7508 10 00	– Cloth, grill and netting, of nickel wire	Free	—
7508 90 00	– Other	Free	—

▼ **M216***CHAPTER 76***ALUMINIUM AND ARTICLES THEREOF****Note**

1. In this chapter, the following expressions have the meanings hereby assigned to them:

(a) Bars and rods:

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including 'flattened circles' and 'modified rectangles', of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including 'modified rectangular') cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(b) Profiles:

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(c) Wire:

Rolled, extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including 'flattened circles' and 'modified rectangles', of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including 'modified rectangular') cross-section exceeds one-tenth of the width.

(d) Plates, sheets, strip and foil:

Flat-surfaced products (other than the unwrought products of heading 7601), coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including 'modified rectangles' of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

— of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,

▼M216

- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings 7606 and 7607 apply, inter alia, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, chequers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(e) Tubes and pipes:

Hollow products, coiled or not, which have a uniform cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross-section, which may have corners rounded along their whole length, are also to be considered as tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

Subheading notes

1. In this chapter, the following expressions have the meanings hereby assigned to them:

(a) Aluminium, not alloyed:

Metal containing by weight at least 99 % of aluminium, provided that the content by weight of any other element does not exceed the limit specified in the following table:

Other elements

Element	Limiting content % by weight
Fe + Si (iron plus silicon)	1
Other elements ⁽¹⁾ , each	0,1 ⁽²⁾
⁽¹⁾ Other elements are, for example, Cr, Cu, Mg, Mn, Ni, Zn. ⁽²⁾ Copper is permitted in a proportion greater than 0,1 % but not more than 0,2 %, provided that neither the chromium nor manganese content exceeds 0,05 %.	

(b) Aluminium alloys:

Metallic substances in which aluminium predominates by weight over each of the other elements, provided that:

- (1) the content by weight of at least one of the other elements or of iron plus silicon taken together is greater than the limit specified in the foregoing table; or
- (2) the total content by weight of such other elements exceeds 1 %.

2. Notwithstanding the provisions of chapter note 1(c), for the purposes of subheading 7616 91 the term 'wire' applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

▼ M216**Additional note**

1. For the purposes of subheading 7601 20 20, the following terms shall have the meanings hereby assigned to them:

— ‘slabs’: unwrought products which have a uniform solid cross-section along their whole length in the shape of a rectangle or other polygon, of a width exceeding 800 mm, of a thickness exceeding 280 mm and of a length always superior to the width and to the thickness. These products are intended for being rolled;

— ‘billets’: unwrought products which have a uniform solid cross-section along their whole length in the shape of a circle (including a ‘flattened circle’), of a diameter exceeding 125 mm. These products are intended for being extruded.

2. For the purposes of subheadings 7606 12 11 and 7606 12 19, the following terms shall have the meaning hereby assigned to them:

— ‘beverage can body stock’: sheets or strips in coils, rolled, having manganese as the predominant alloy element and having a minimum tensile strength of 262 MPa. The sheets or strips have a uniform solid cross-section along their whole length, are of a width of 300 mm or more but not more than 2 000 mm, of a thickness exceeding 0,2 mm but not exceeding 0,4 mm, and of a length always superior to the width and to the thickness. Beverage can body stock is prelubricated, with a bright surface;

— ‘beverage can end stock and tab stock’: sheets or strips in coils, having magnesium as the predominant alloy element and having a minimum tensile strength of 345 MPa. The sheets or strips have a uniform solid cross-section along their whole length, are of a width of 30 mm or more but not more than 2 000 mm, of a thickness exceeding 0,2 mm but not exceeding 0,35 mm, and of a length always superior to the width and to the thickness. Beverage can end stock is varnished on both sides. Beverage can tab stock is degreased and oiled.

These products are to be used for the fabrication of rigid beverage cans, including ends (lids) and tabs.

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7601	Unwrought aluminium:		
7601 10 00	– Aluminium, not alloyed	6 ⁽¹⁾	—
7601 20	– Aluminium alloys:		
7601 20 20	– – Slabs and billets	6	—
7601 20 80	– – Other	6	—
7602 00	Aluminium waste and scrap:		
	– Waste:		
7602 00 11	– – Turnings, shavings, chips, milling waste, sawdust and filings; waste of coloured, coated or bonded sheets and foil, of a thickness (excluding any backing) not exceeding 0,2 mm	Free	—
7602 00 19	– – Other (including factory rejects)	Free	—

⁽¹⁾ Autonomous rate of duty: 3.

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7602 00 90	– Scrap	Free	—
7603	Aluminium powders and flakes:		
7603 10 00	– Powders of non-lamellar structure	5	—
7603 20 00	– Powders of lamellar structure; flakes	5	—
7604	Aluminium bars, rods and profiles:		
7604 10	– Of aluminium, not alloyed:		
7604 10 10	– – Bars and rods	7,5	—
7604 10 90	– – Profiles	7,5	—
	– Of aluminium alloys:		
7604 21 00	– – Hollow profiles	7,5	—
7604 29	– – Other:		
7604 29 10	– – – Bars and rods	7,5	—
7604 29 90	– – – Profiles	7,5	—
7605	Aluminium wire:		
	– Of aluminium, not alloyed:		
7605 11 00	– – Of which the maximum cross-sectional dimension exceeds 7 mm	7,5	—
7605 19 00	– – Other	7,5	—
	– Of aluminium alloys:		
7605 21 00	– – Of which the maximum cross-sectional dimension exceeds 7 mm	7,5	—
7605 29 00	– – Other	7,5	—
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm:		
	– Rectangular (including square):		
7606 11	– – Of aluminium, not alloyed:		
7606 11 10	– – – Painted, varnished or coated with plastics	7,5	—
	– – – Other, of a thickness of:		
7606 11 91	– – – – Less than 3 mm	7,5	—
7606 11 93	– – – – Not less than 3 mm but less than 6 mm	7,5	—
7606 11 99	– – – – Not less than 6 mm	7,5	—
7606 12	– – Of aluminium alloys:		
	– – – Beverage can body stock, end stock and tab stock:		

▼ M216

	CN code	Description	Conventional rate of duty (%)	Supplementary unit
	1	2	3	4
★	7606 12 11	— — — — Beverage can body stock	7,5	—
★	7606 12 19	— — — — Beverage can end stock and tab stock	7,5	—
		— — — Other:		
■	7606 12 20	— — — — Painted, varnished or coated with plastics	7,5	—
		— — — — Other, of a thickness of:		
■	7606 12 92	— — — — — Less than 3 mm	7,5	—
	7606 12 93	— — — — — Not less than 3 mm but less than 6 mm	7,5	—
	7606 12 99	— — — — — Not less than 6 mm	7,5	—
		— Other:		
	7606 91 00	— — Of aluminium, not alloyed	7,5	—
	7606 92 00	— — Of aluminium alloys	7,5	—
	7607	Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm:		
		— Not backed:		
	7607 11	— — Rolled but not further worked:		
		— — — Of a thickness of less than 0,021 mm:		
	7607 11 11	— — — — In rolls of a weight not exceeding 10 kg	7,5	—
	7607 11 19	— — — — Other	7,5	—
	7607 11 90	— — — Of a thickness of not less than 0,021 mm but not more than 0,2 mm	7,5	—
	7607 19	— — Other:		
	7607 19 10	— — — Of a thickness of less than 0,021 mm	7,5	—
	7607 19 90	— — — Of a thickness of not less than 0,021 mm but not more than 0,2 mm	7,5	—
	7607 20	— Backed:		
	7607 20 10	— — Of a thickness (excluding any backing) of less than 0,021 mm	10	—
	7607 20 90	— — Of a thickness (excluding any backing) of not less than 0,021 mm but not more than 0,2 mm	7,5	—
	7608	Aluminium tubes and pipes:		
	7608 10 00	— Of aluminium, not alloyed	7,5	—
	7608 20	— Of aluminium alloys:		
	7608 20 20	— — Welded	7,5	—
		— — Other:		
	7608 20 81	— — — Not further worked than extruded	7,5	—

▼M216

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7608 20 89	— — — Other	7,5	—
7609 00 00	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	5,9	—
7610	Aluminium structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminium plates, rods, profiles, tubes and the like, prepared for use in structures:		
7610 10 00	– Doors, windows and their frames and thresholds for doors	6	p/st ⁽¹⁾
7610 90	– Other:		
7610 90 10	– – Bridges and bridge-sections, towers and lattice masts	7	—
7610 90 90	– – Other	6	—
7611 00 00	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment	6	—
7612	Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment:		
7612 10 00	– Collapsible tubular containers	6	—
7612 90	– Other:		
7612 90 20	– – Containers of a kind used for aerosols	6	p/st
7612 90 30	– – Manufactured from foil of a thickness not exceeding 0,2 mm	6	—
7612 90 80	– – Other	6	—
7613 00 00	Aluminium containers for compressed or liquefied gas	6	—
7614	Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated:		
7614 10 00	– With steel core	6	—
7614 90 00	– Other	6	—
7615	Table, kitchen or other household articles and parts thereof, of aluminium; pot scourers and scouring or polishing pads, gloves and the like, of aluminium; sanitary ware and parts thereof, of aluminium:		

⁽¹⁾ A door or window with or without its frame or threshold is considered as one piece.

▼ **M216**

CN code	Description	Conventional rate of duty (%)	Supplementary unit
1	2	3	4
7615 10	– Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like:		
7615 10 10	– – Cast	6	—
7615 10 30	– – Manufactured from foil of a thickness not exceeding 0,2 mm	6	—
7615 10 80	– – Other	6	—
7615 20 00	– Sanitary ware and parts thereof	6	—
7616	Other articles of aluminium:		
7616 10 00	– Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles	6	—
	– Other:		
7616 91 00	– – Cloth, grill, netting and fencing, of aluminium wire	6	—
7616 99	– – Other:		
7616 99 10	– – – Cast	6	—
7616 99 90	– – – Other	6	—